




REPUBLIC OF NAMIBIA
KUNENE REGIONAL COUNCIL
DIRECTORATE: EDUCATION, ARTS & CULTURE



Request for Quotations For Works

Renovations of

Major Renovation at Khorixas CLDC Office

Procurement Reference No: W/RFQ/KRC: DoEAC-02/2024

Kunene Regional Council
P/Bag 502
Opuwo
Namibia

TEL: 065 273950
pmu@kunenerc.gov.na

Name of bidder: _____

Contact Number of Bidder: _____

Email Address of Bidder: _____


Authorized Representative of Bidder: _____

Signature of Bidder: _____

Bid total amount: N\$ _____



REPUBLIC OF NAMIBIA
KUNENE REGIONAL COUNCIL
DIRECTORATE: EDUCATION, ARTS & CULTURE



Letter of Invitation

To: _____

Procurement Reference Number: W/RFQ/KRC: DoEAC-02/2024

Dear Sirs,

Request for Quotations for Major Renovation at Khorixas CLDC Office for the Directorate of Education, Arts and Culture: Kunene Regional Council

Bidders are invited resulting contract shall be subject to the terms and conditions referred to in the document.


Queries, if any, should be addressed to **Mr. Simeon Kariko @ 081 148 2090** or **Mr. John I. Haraseb @ 081 778 8356**

Please prepare and submit your quotation in accordance with the instructions given or inform the undersigned if you will not be submitting a quotation.

Yours faithfully,


G.P. KAMSEB

CHIEF REGIONAL OFFICER



SECTION I: INSTRUCTIONS TO BIDDERS

1. Rights of Public Entity

The Kunene Regional Council: Directorate of Education, Arts and Culture reserves the right:

- a) to split the contract as per the lowest evaluated cost per lot; and
- b) to accept or reject any quotation or to cancel the quotation process and reject all quotations at any time prior to contract award.

2. Preparation of Quotations

You are requested to quote for the works mentioned in Section III, by completing, signing and returning:

- a) the Quotation Letter in Section II with its annex for Bid Securing Declaration, where applicable;
- b) the Priced Activity Schedule in Section IV;
- c) the Specifications and Compliance Sheet in Section V; and
- d) any other attachment as deemed appropriate

You are advised to carefully read the complete Request for Quotations document, including the Special Conditions of Contract in Section VII, before preparing your Quotation. The standard forms in this document may be retyped for completion but the Bidder is responsible for their accurate reproduction.

3. Validity of Quotations

The quotation validity period shall be **180 days** from the date of bid submission deadline.

4. Eligibility Criteria

To be eligible to participate in this Quotation exercise, you should:

- have a valid certified copy (NAMPOL) of company Registration Certificate;
- have an original or valid certified copy (NAMPOL) of good Standing Tax Certificate;
- have an original or valid certified copy (NAMPOL) of good Standing Social Security Certificate;
- have a valid certified copy (NAMPOL) of Affirmative Action Compliance Certificate, proof from Employment Equity Commissioner that bidder is not a relevant employer, or exemption issued in terms of Section 42 of the Affirmative Action Act, 1998;
- have a valid certified copy (NAMPOL) of certificate indicating SME Status (for Bids reserved for SMEs);
- submit signed bid securing declaration;
- an undertaking on the part of the Bidder that the salaries and wages payable to its personnel in respect of this proposal are compliant to the relevant laws, Remuneration Order and Award, where applicable

and that it will abide to sub-clause 4.6 of the General Conditions of the Contract if it is awarded the contract or part thereof;

- attach proof of confirmation of account from a Namibian Banking institution;
- bidders place of principal business must be in Kunene Region. (Attach less than two months confirmation letter from the respective Regional Councillor responsible for Constituency in which your company operates);
- attach certified copies (NAMPOL) of qualifications of a Plumber, Brick Layer and a Electrician from reputable Education Institution accredited by NQA;
- have a minimum experience of two years as prime contractor in the construction of works of similar nature and complexity equivalent to proposed works, attach two reference letters on the completed similar works from previous employers; and
- attach a valid copy(ies) (NAMPOL) of the Company's owner's national identification document(s).

5. Bid Securing Declaration

Bidders are required to subscribe to a Bid Securing Declaration for this procurement process.

6. Works Completion Period

The completion period for works shall be 60 days after acceptance and issue of Purchase Order. Deviation in completion period shall not be accepted.

7. Sealing and Marking of Quotations

Quotations should be sealed in a single envelope, clearly marked with the Procurement Reference Number, addressed to the Public Entity with the Bidder's name at the back of the envelope.

8. Submission of Quotations

Quotations should be deposited in the Quotation/Bid Box located at P/Bag 502 Opuwo Kunene Regional Council, Mbumbijazo Muharukua Street, Opuwo or forwarded by fax 065-273077, not later than **03 June 2024 at 11h00 AM. Quotations by post or hand delivered should reach Kunene Regional Council Mbumbijazo Muharukua Street, P/Bag 502 Opuwo by the same date and time at latest 11h00. Late quotations will be rejected.** Quotations received by e-mail or fax will not be considered.

9. Opening of Quotations

Quotations will be opened internally by the Public Entity immediately after the closing time referred to in section 8 above. A record of the Quotation Opening stating the name of the bidders, the amount quoted, the presence or absence of a Bid Security/Bid Securing Declaration, will be posted on the website of the Public Entity and available to any bidder on request within three working days of the Opening.

Evaluation of Quotations

The Public Entity shall have the right to request for clarifications in writing during evaluation. Offers that are substantially responsive shall be compared on the basis of evaluated cost, subject to Margin of Preference where applicable, to determine the lowest evaluated quotation.

10. Technical Compliance

The Specifications and Compliance Sheet details the minimum specifications of the works to be carried out. The specifications have to be met, but no credit will be given for exceeding the specifications.

11. Prices and Currency of Payment

Prices for the execution of works shall be fixed in Namibian Dollars as quoted.

Quotations shall cover all costs of labour, materials, equipment, overheads, profits and all associated costs for performing the works, and shall include all duties. The whole cost of performing the works shall be included in the items stated, and the cost of any incidental works shall be deemed to be included in the prices quoted.

12. Margin of Preference

13.1 The applicable margins of preference and their application methodology are as follows:

5% margin of preference shall be given to bidders from Kunene Region.

13. Award of Contract

The Bidder having submitted the lowest evaluated responsive quotation that is 0% above and not less than 10% below the engineer's estimates, with market related rates and qualified to perform the works shall be selected for award of contract. Award of contract shall be by issue of a Purchase Order/Letter of Acceptance in accordance with terms and conditions contained in Section VI: Contract Agreement and General Conditions of Contract.

14. Performance Security

A Performance Security in the form of a Bank Guarantee representing 10% of the final contract price shall be. **Not Applicable**

15. Notification of Award and Debriefing

The Public Entity shall after award of contract promptly inform all unsuccessful bidders in writing of the name and address of the successful bidder and the contract amount and post a notice of award on its website within 7 days. Furthermore, the Public Entity shall attend

to all requests for debriefing made in writing within seven days of the unsuccessful bidders being informed of the award.

ANNEXURE 2

LOCAL SOURCING DECLARATION (Section 73 of Act)

Regulation 37(5) and 56(2)

Date:

Bid No:

To:

[insert complete name of Public Entity]

I/ We* understand that in terms of section 45 of the Act a public entity must include in the bidding document the requirement for a local sourcing declaration by the bidders.

I/ We* accept that under section 45 of the Act, I/ we* may be suspended or disqualified in the event of-

- a) If found that the goods, works and services are found to be not meeting the local content and is not supplied by the suppliers based and operating from Kunene region, where the goods are required.
- b) I/ we* understand this local sourcing declaration ceases to be valid if I am/ We are* not the successful Bidder

Signed:.....

[insert complete name of person whose name and capacity are shown] Capacity of: [indicate legal capacity of persons(s) signing the local sourcing declaration]

Name:.....

[insert complete name of person signing the local sourcing declaration]

Duly authorized to sign the bid for and on behalf of: [insert complete name of Bidder]

Dated on _____ day of _____ [insert date of signing]

Corporate Seal (where appropriate)

[Note*: In case of joint venture, the local sourcing declaration must be in the name of all partners to the joint venture that submits the bid.]*delete if not applicable appropriate

For office use only

A. Evaluation Criteria (for office use only)

| | Max Marks |
|---|------------|
| Implement the empowerment and industrialization policies of Government | 100 |
| Local bidder | 30 |
| Women | 20 |
| Youth (age 18 - 35) | 50 |
| Total | |

SECTION II: QUOTATION LETTER

(to be completed by Bidders)

[Complete this form with all the requested details and submit it as the first page of your quotation with the Priced Activity Schedule and documents requested above. A signature and authorisation on this form will confirm that the terms and conditions of the RFQ prevail over any attachments. **If your quotation is not authorised, it will be rejected**

| | |
|--------------------------------|--|
| Quotation addressed to: | |
| Procurement Reference Number: | |
| Subject matter of Procurement: | |

We offer to execute the Works detailed in the Statement of Requirements, in accordance with the terms and conditions stated in your Request for Sealed Quotations referenced above.

We confirm that we are eligible to participate in this Quotation exercise and meet the eligibility criteria specified in Section 1: Instructions to Bidders

We undertake to abide by the Conduct of Bidders and Suppliers as provided under the Public Procurement Act during the procurement process and the execution of any resulting contract.

We have read and understood the content of the Bid Securing Declaration (BSD) attached hereto and subscribe fully to the terms and conditions contained therein. We further understand that this subscription shall be construed as a Bid Securing Declaration which could lead to disqualification on the grounds mentioned in the BSD. The validity period of our Quotation is _____ days from the date of the bid submission deadline.

We confirm that the prices quoted in the Priced Activity Schedule are fixed and firm and will not be subject to revision or variation, if we are awarded the contract **prior to the expiry** date of the quotation validity.

Works will commence within 7 days from date of issue of Purchase Order/ Letter of Acceptance.

Works will be completed within 60 days from date of issue of Purchase Order/Letter of acceptance.

We declare that we “qualify/do not qualify” for Margin of Preference applicable to Small and Medium enterprises and shall upon request submit documentary evidence in this respect. *[Bidder to strike out as appropriate]*

Quotation Authorised by:

| | | | |
|---|--|----------------------------|------------|
| Name of Bidder | | Company's Address and seal | |
| Contact Person | | | |
| Name of Person Authorising the Quotation: | | Position: | Signature: |
| Date | | Phone No./ E-mail | |

BID SECURING DECLARATION
(Section 45 of Act)
(Regulation 37(5) and 56(2))

Date: _____

Procurement Ref No.: _____

To: _____

[insert complete name of Public entity and address]

I/We* understand that in terms of section 45 of the Act a public entity must include in the bidding document the requirement for a declaration as an alternative form of bid security.

I/We* accept that under section 45 of the Act, I/we* may be suspended or disqualified in the event of

- (a) a modification or withdrawal of a bid after the deadline for submission of bids during the period of validity;**
- (b) refusal by a bidder to accept a correction of an error appearing on the face of a bid;**
- (c) failure to sign a procurement contract in accordance with the terms and conditions set forth in the bidding document, should I/We* be bidder; or**
- (d) failure to provide security for the performance of the procurement contract if required to do so by the bidding document.**

I/We* understand this bid securing declaration ceases to be valid if I am/We are* not the successful Bidder

Signed: _____

[insert signature of person whose name and capacity are shown]

Capacity of: _____

[indicate legal capacity of person(s) signing the Bid Securing Declaration]

Name: _____

[insert complete name of person signing the Bid Securing Declaration]

Duly authorized to sign the bid for and on behalf of: *[insert complete name of Bidder]*

Dated on _____ day of _____ *[insert date of signing]*

Corporate Seal (where appropriate)

[Note*: In case of a joint venture, the bid securing declaration must be in the name of all partners to the joint venture that submits the bid.]

***delete if not applicable / appropriate**



Republic Of Namibia

Ministry of Labour, Industrial Relations and Employment Creation

**Written undertaking in terms of section 138 of the Labour Act, 2015 and
section 50(2) (D) of the Public Procurement Act, 2015**

1. EMPLOYERS DETAILS

Company Trade Name: _____

Registration Number: _____

Vat Number: _____

Industry/Sector: _____

Place of Business: _____

Physical Address: _____

Tell No.: _____

Fax No.: _____

Email Address: _____

Postal Address: _____

Full name of Owner/Accounting Officer: _____

Email Address : _____

2. PROCUREMENT DETAILS

Procurement Reference No: _____

Procurement Description: _____

Anticipated Contract Duration: _____

Location where work will be done, good/services will be delivered: _____

3. UNDERTAKING

I _____ *[insert full name]*, owner/representative
of _____ *[insert full name of company]*

hereby undertake in writing that my company will at all relevant times comply fully with the relevant provisions of the Labour Act and the Terms and Conditions of Collective Agreements as applicable.

I am fully aware that failure to abide to such shall lead to the action as stipulated in section 138 of the labour Act, 2007, which include but not limited to the cancellation of the contract/licence/grant/permit or concession.

Signature: _____

Date: _____

Seal: _____

Please take note:

- 1. A labour inspector may conduct unannounced inspections to assess the level of compliance*
- 2. This undertaking must be displayed at the workplace where it will be readily accessible and visible by the employees rendering service(s) in relations to the goods and services being procured under this contract.*

SECTION III: STATEMENT OF REQUIREMENTS

A. SCOPE OF WORKS, SPECIFICATIONS AND PERFORMANCE REQUIREMENTS

Major Renovation at Khorixas CLDC Office in accordance with the specification provided under Section IV as per bill of quantities

Works shall be performed in accordance with the bills of quantities

PRICED ACTIVITY SCHEDULE

Procurement Reference Number: **W/RFQ/KRC-DOEAC-02/2024**

[Complete the unit and total prices for each item listed below in Namibian Dollars. Authorize the prices quoted in the signature block below. The table shown hereunder may be redesigned and customized as per the type of services required].

SECTION IV: PRICED ACTIVITY SCHEDULE

Procurement Reference Number:

| Item No | Brief Description of Works | Quantity | Unit of Measure | Unit Price (NS) | Total Price (NS) |
|---|--|----------|-----------------|-----------------|------------------|
| A× | B× | C× | D× | E | F |
| DEMOLITIONS AND ALTERATIONS | | | | | |
| Taking down and removing ceilings, etc | | | | | |
| Breaking up or breaking down and removing concrete | | | | | |
| 1. | Softboard or gypsum board ceilings in isolated panels | 5.00 | m ² | | |
| Taking out and removing doors, windows sashes from frames, gates, etc and prepare to receive new | | | | | |
| 2. | Burglar bars or screens exceeding 2.5m ² and not exceeding 5m ² in area from steel window or brick wall. | 10.00 | No | | |
| Taking out and removing doors, windows, frames, etc (alternations to openings and / or building up openings where applicable elsewhere measured) | | | | | |
| 3. | Timber single double door and timber door frame not exceeding 2.5m ² in area | 4.00 | No | | |
| Taking out and removing sundry ironmongery items, etc | | | | | |
| 4. | Venetain blinds and louvred drapes | 18.00 | No | | |

| | | | | | |
|--|---|-------|----------------|--|--|
| Taking out and removing taps and mixers | | | | | |
| 5. | Pillar tap, bib tap or angle valve | 8.00 | No | | |
| Taking out and removing sanitary fittings and appliances, including taps and traps, including disconnecting piping from fittings and cutting back and sealing off all water and waste pipes as necessary | | | | | |
| 6. | Stainless steel or earthenware wash hand basin | 1.00 | No | | |
| 7. | High level or low level cistern with flush pipe and prepare to receive new | 2.00 | No | | |
| 8. | Stainless steel or earthenware bowl urinal | 2.00 | | | |
| Taking one and removing pipework, inclusive of valves, etc | | | | | |
| 9. | Water supply and waste pipes of differing diameters and pipe types from walls | 2.00 | m | | |
| Brickwork in 7MPa cement bricks in class 11 mortar in building up openings, including cutting footings and bonding new to existing brickworks (new wall finishes elsewhere measured) | | | | | |
| 10. | Half brick walls | 2.10 | m ² | | |
| <ol style="list-style-type: none"> 1. The Contractor must provide all necessary scaffolding for any and all work required to single storey buildings and to the insides of buildings irrespective of the height of the building as no additional payment will be made in this regard. 2. Scaffolding will only be measured and paid for work to the external face of the building where the building or structure is higher than one storey and to the actual height of the scaffolding erected. 3. The Contractor must ensure the stability of the scaffolding at all times and must provide adequate safety rails, barriers and walkways for the workmen using the scaffolding. 4. The height of the scaffolding stated includes the ground floor level. | | | | | |
| | Scaffolding to the external face of double storey building | 2.00 | m | | |
| The Tenderers attention is directed to Volume 4 for any NEW WORKS that may be required as Volume 4 must be read in conjunction herewith | | | | | |
| REPAIRS AND SUNDRIES TO BRICKWORK | | | | | |
| 11. | Neatly cut out and remove damaged or MPa cement bricks in class 11 mortar, including cutting toothings and bonding cracked section of one and a half brick wall, clean and prepare and rebuild removed section in 7 | 12.00 | m ² | | |
| Sealing of existing roofs and flushings | | | | | |
| <ol style="list-style-type: none"> 1. Prices must allow for the replacing of existing roofing drive screws and washers or hook bolts as may be necessary. 2. Holes and roofing screws are to be sealed with Klodek waterproofing membrane. The waterproofing membrane sealing holes and roofing screws to be a minimum size 75x75mm. | | | | | |

| | | | | | |
|--|---|--------|----------------|--|--|
| 3. Apply one coat primer diluted with 25% water, one full undiluted primer coat, one layer of waterproofing membrane and three finishing coats all as specified and in accordance with the manufacturer's instructions. | | | | | |
| 12. | Seal all holes and roofing screws, etc in galvanised roof sheeting and leave watertight (measured on flat to affected roof area on slope) | 4.00 | m ² | | |
| Repairs to steel and timber windows | | | | | |
| 13. | Replace missing or damaged peg stay to steel or timber window with new solid brass or chromium plated peg stay 150mm long | 4.00 | m ² | | |
| Sundries | | | | | |
| 14. | Replace damaged or missing striker plate in steel or timber door frame. | 3.00 | No | | |
| REPAIRS TO PLUMBING AND DRAINAGE INSTALLATIONS | | | | | |
| Repairs to w.c. suites and flushing valves. | | | | | |
| 15. | Replace missing or damaged w.c. pan connector | 2.00 | No | | |
| Clean out blockage in manholes, catch pits, etc | | | | | |
| 16. | Clean out blocked manhole or catch pit exceeding 1m and not exceeding 2m deep | 4.00 | No | | |
| CUTTING THROUGH EXISTING WALLS AND FINISHERS, ETC AN MAKING GOOD | | | | | |
| 17. | Cut chase in existing brick wall for pipe and make good plaster and paint | 2.00 | m | | |
| PAINTWORK | | | | | |
| Clean down and prepare and one coat Acrylic PVA paint | | | | | |
| 18. | On external smooth plastered walls | 266.00 | m ² | | |
| 19. | Extra for additional one coat of paint | 266.00 | m ² | | |
| Clean down and prepare and one coat eggshell enamel paint | | | | | |
| 20. | On internal smooth plastered walls and columns | 599.00 | m ² | | |
| 21. | Extra for additional one coat of paint | 599.00 | m ² | | |
| Clean down and prepare and one coat Acrylic PVA paint | | | | | |
| 22. | On fascias and eaves soffit linings | 2.00 | m ² | | |
| 23. | On gutters and downpipes not exceeding 300mm girth | 45.00 | m ² | | |
| 24. | Extra for additional one coat of paint | 45.00 | m ² | | |
| Clean down and prepare and one coat exterior | | | | | |

| | | | | | |
|---|--|--------|----------------|--|--|
| 25. | On ceilings, including cornices and cover strips | 154.00 | m ² | | |
| 26. | Extra for additional one coat of paint | 154.00 | m ² | | |
| Clean down and prepare and one coat clear matt polyurethane varnish | | | | | |
| 27. | On flush doors | 14.00 | m ² | | |
| ROOF CONSTRUCTION | | | | | |
| 40mm Semi-solid flush doors with hardwood veneer both sides and concealed hardwood edge strips | | | | | |
| 28. | Door size 813x2032mm high | 3.00 | No | | |
| 44mm Solid laminated flush doors with hardwood veneer on both sides and concealed edge strips | | | | | |
| 29. | Door size 813x2031mm high | 1.00 | No | | |
| CEILINGS AND PARTITIONS | | | | | |
| Softboard ceilings | | | | | |
| 30. | 12mm Softboard ceiling board in full length sheets fixed to brander (elsewhere measured) with and including chamfered joints between sheets) | 5.00 | m ² | | |
| Gypsum plasterboard ceilings | | | | | |
| 31. | Extra over gypsum plasterboard ceiling for trap door size 600x600mm formed of 32x47mm wrot softwood rebated framing around with cross bracing covered with 9.5mm gypsum plasterboard ceiling board and fitted into opening | 1.00 | No | | |
| FLOOR COVERINGS | | | | | |
| IRONMONGERY | | | | | |
| Mortice locks | | | | | |
| 32. | Four lever upright mortice claw bolt sliding door lock with stainless steel forend | 5.00 | No | | |
| *Metador Squgee@ or other equal and approved | | | | | |
| BATHROOM FITTINGS | | | | | |
| 33. | 20mm Chromium plated shower curtain rail 900mm long including end flange brackets | 1.00 | No | | |
| 34. | Shower curtain of 100% polyester mildew resistant and water proof fabric size 1450x2000mm long overall including 30mm diameter plastic rings complete | 1.00 | No | | |
| CURTAIN TRACKS | | | | | |
| 35. | White powder coated single aluminium oval regular duty curtain track with all accessories complete fixed to timber pelmets (elsewhere measured) or walls, | 1.00 | m | | |

| | | | | | |
|---|---|--------|----------------|--|--|
| | including fourteen nylon rollers per metre. | | | | |
| Approved 25mm mini venetian blinds in approved colours with soffit or face fixing complete with all controls | | | | | |
| 36. | Venetian blinds to suit window size 530x950mm high | 1.00 | No | | |
| 37. | Venetian blinds to suit window size 1020x1540mm high | 15.00 | No | | |
| 38. | Venetia blinds to suit window size 1510x950mm high | 2.00 | No | | |
| Labour cost in fixing and fitting of the following non-scheduled item | | | | | |
| 39. | Fixing of door handles to both sides of door | 5.00 | No | | |
| 40. | Fixing of cupboard door locks, barrel bolts, catches, pull handles and the like | 5.00 | No | | |
| METALWORK | | | | | |
| Purpose made mild steel burglar bars welded to steel windows | | | | | |
| 41. | Burglar bars of 12mm diameter mild steel solid bars to brick pattern with the vertical with the vertical bars at 100mm centres and the horizontal bars at 200mm centres welded on | 283.00 | m ² | | |
| 1.6mm Double rebated frames suitable for half brick walls | | | | | |
| 42. | Frame for door size 813x2032mm high | 1.00 | No | | |
| WALL TILING | | | | | |
| 200x200x5mm White glazed ceramic wall tiles to | | | | | |
| 43. | Walls | 35.00 | m ² | | |
| Take delivery of, transport to the site, store, protect and lay ceramic floor tiles of differing sizes fixed with and including adhesive to screeded surfaces (elsewhere measured) and flush pointed with an approved tinted waterproof jointing compound on (cost of floor tiles elsewhere) | | | | | |
| 44. | Floors to patterns | 35.00 | m ² | | |
| 45. | Skirting 100mm high | 30.00 | m | | |
| Take delivery of, transport to the site, store, protect and lay porcelain floor tiles of differing sizes fixed with and including adhesive to screeded surfaces (elsewhere measured) and flush pointed with an approved tinted waterproof jointing compound on (cost of floor tiles elsewhere) | | | | | |
| SOAP DISHES, TOILET ROLL HOLDERS, ETC | | | | | |
| 46. | Standard white glazed semi recessed toilet roll holder with ashtray size 150x150mm | 1.00 | No | | |
| 47. | Standard white glazed semirecessed single soap dish size 150x150mm | 1.00 | No | | |
| PLUMBING AND DRAINAGE | | | | | |
| Stainless steel | | | | | |
| 48. | Wall hung bowl urinal complete with spreader, 40mm wate outlet | 2.00 | No | | |

| | | | | | |
|--|---|------|----|--|--|
| | and domical grating fixed to walls | | | | |
| White virreous china or glazed fireclay | | | | | |
| 49. | Basin size 560x400mm with two tap holes fixed to walls with and including semi-concealed cast iron bracket. | 2.00 | No | | |
| Polyethylene, duranite, etc | | | | | |
| 50. | 9 Litre low-level duranite w.c. cistern complete with flushing mechanism, flush lever and flush pipe. | 2.00 | No | | |
| uPVC | | | | | |
| 51. | 40mm Bottle trap including tailpipe and wall flange | 1.00 | No | | |
| Chromium plated brass | | | | | |
| 52. | 15mm Angle regulating valve only | 5.00 | No | | |
| 53. | 15mm Hose bib tap with hose union | 1.00 | No | | |
| 54. | 15mm Raised nose pillar tap | 4.00 | No | | |
| 55. | 15mm Underwall pattern sto tap with cover plate | 1.00 | No | | |
| 56. | 15mm Shower arm with cover plate | 1.00 | No | | |
| The solar water geysers and panels must be installed by the specialist supplier of the geysers and panels | | | | | |
| Hard drawn thin walled class 0 Copper pipes to SABS 460 including all straight joints and connectors | | | | | |
| 57. | 15mm Pipe fixed or chased into walls | 6.00 | m | | |
| Extra over class 0 copper pipes for brass capillary fittings | | | | | |
| 58. | 15mm Fittings (elbows2, tees, reducing tees, adaptor couplings, etc) | 8.00 | No | | |
| uPVC soil, waste and vent pipes including all straight joints and connectors | | | | | |
| 59. | 40mm Pipe fixed or chased into walls | 1.00 | m | | |
| 60. | 50mm Pipe fixed or chased into walls | 6.00 | m | | |
| 61. | 40mm Pipes laid in ground under solid floors | 6.00 | m | | |
| Extra over uPVC pipes for fittings | | | | | |
| 62. | 400mm Access bend | 2.00 | No | | |
| 63. | 50mm Access bend | 2.00 | No | | |
| 64. | 110mm Access bend | 2.00 | No | | |
| 65. | 110mm Access junction | 1.00 | No | | |
| 66. | 110mm Air vent cowl | 1.00 | No | | |
| Underground twin-wall uPVC structured wall pipes laid in ground, including excavations, backfilling, etc and all straight joints between pipes. | | | | | |

| | | | | | |
|---|---|------|----------------|------------------------|--|
| 67. | 110mm Pipes vertically or ramped to cleaning eyes etc (no excavation) | 6.00 | m | | |
| GLAZING TO STEEL WITH PUTTY | | | | | |
| 68. | Panes exceeding 0.5m ² | 0.24 | m ² | | |
| PAINTWORK | | | | | |
| One coat alkali-resistant plaster primer and two coats Acrylic PVA paint | | | | | |
| 69. | On external smooth plastered walls | 2.10 | m ² | | |
| One coat alkali resistant plaster primer, one coat undercoat and two coats eggshell enamel paint | | | | | |
| 70. | On internal smooth plastered walls and columns | 2.10 | m ² | | |
| One coat primer, one coat undercoat and two coats gloss enamel paint | | | | | |
| 71. | On gates, grilles, burglar screens, balustrades, etc (both sides measured flat) | 4.00 | m ² | | |
| EXTERNAL WORKS | | | | | |
| Cutting down and removing, grubbing up roots and filling in holes | | | | | |
| 72. | Tree exceeding 1000 and not exceeding 2000mm girth | 4.00 | No | | |
| | | | | Subtotal | |
| | | | | Preliminary 8% | |
| | | | | Contingency 10% | |
| Enter 0% VAT rate if VAT exempt. | | | | VAT @ 15 % | |
| | | | | Total | |

* Columns A to D to be completed as applicable by Public Entity

Priced Activity Schedule Authorised By:

| | | | |
|----------------------------------|---------|------------|--|
| Name: | | Signature: | |
| Position: | | Date: | |
| Authorised for and on behalf of: | Company | | |

SECTION V: SPECIFICATIONS AND COMPLIANCE SHEET

Procurement Reference Number: _____

SECTION VI: GENERAL CONDITIONS OF CONTRACT AND CONTRACT AGREEMENT

Any resulting contract shall be placed by means of a Purchase Order/Letter of Acceptance and shall be subject to the General Conditions of Contract (GCC) for the Procurement of Goods (Ref. **G/RFQ-WCC**) (*available at public entities physical address/website: Insert Public Entity address/website*) except where modified by the Special Conditions below.

SECTION VII: CONTRACT AGREEMENT

Any resulting contract shall be placed by means of a Purchase Order/Letter of Acceptance and shall be subject to the General Conditions of Contract (GCC) for the Procurement of Works except where modified by the Special Conditions below.

SECTION VIII SPECIAL CONDITIONS OF CONTRACT

Procurement Reference Number: _____

The clause numbers given in the first column correspond to the relevant clause number of the General Conditions of Contract. *[This section is to be customised by the Public Entity to suit the requirements of the specific procurement].*

| GCC Clause Reference | Special Conditions |
|--------------------------------------|--|
| Project Manager GCC 1.1(y) | The Project Manager is: Kunene Regional Council: Directorate of Education, Arts and Culture |
| Site GCC 1.1(aa) | CLDC Khorixas |
| Start Date GCC 1.1(dd) | The Start Date shall be: 7 days after issuing of Purchase Order. |
| The Works GCC 1.1(h) | Major renovation at CLDC Khorixas office |
| Language and Law GCC 3.1 | The language of the contract is English The law that applies to the Contract is the law of Namibia. |

| GCC Clause Reference | Special Conditions |
|--|---|
| Project Manager's Decisions 4.1 | The Project Manager shall obtain specific approval from the Employer before carrying out any of his duties under the Contract which in the Project Manager's opinion will cause the amount finally due under the Contract to exceed the Contract Price or will give entitlement to extension of time. This requirement shall be waived in an emergency affecting safety of personnel or the Works or adjacent property. |
| Notices GCC 6 | <p>Any notice shall be sent to the following addresses:</p> <p>For the Employer, the address shall be as given on the page 2 of this Bidding Document and the contact name shall be:</p> <p>Kunene Regional Council Procurement Management Unit Mbumbijazo Muharukua Street P/Bag 502, Opuwo 065-273 950</p> <p>Email: pmu.kunenerc@gmail.com</p> <p>For the Contractor, the address shall be as given on the first page of the Purchase Order/Letter of Acceptance and the contact name shall be</p> |
| Insurance GCC 13.1 | <p>Except for the cover mentioned in (d)(i) hereunder, the other insurance covers shall be in the joint names of the Contractor and the Employer and the minimum insurance amounts shall be:</p> <ul style="list-style-type: none"> (a) for the Works, Plant and Materials: (for the full amount of the works including removal of debris, professional fee etc...) (b) for loss or damage to Equipment: (for the replacement value of the equipment that the contractor intends to use on site until the taking over by the Employer. (c) for loss or damage to property (except the Works, Plant, Materials, and Equipment) in connection with Contract for an amount representing the value of the properties that are exposed to the action of the contractor in the execution of the works. It will extend to the property of the Procuring Entity as well). (d) for personal injury or death: |

| GCC Clause Reference | Special Conditions |
|--|---|
| | <p>(i) of the Contractor's employees: [The Contractor shall take an adequate insurance cover for its employees for any claim arising in the execution of the works].</p> <p>(ii) of other people: [This cover shall be for an adequate amount for Third Party extended to the Employer and its representatives].</p> <p>(e) for loss or damage to materials on-site and for which payment have been included in the Interim Payment Certificate, where applicable.</p> <p>The Contractor shall choose to take the insurance covers indicated above as separate covers or a combination of the Contractor's All Risks coupled with the Employer's liability and First Loss Burglary, after approval of the Employer. All insurance covers shall be of nil or the minimum possible deductibles at sole expense of the contractor.</p> |
| Intended Completion Date GCC 16.1 | The Intended Completion Date for the whole of the Works shall be: 60 days from date of site handover. |
| Possession of the Site GCC 20.1 | The Site Possession Date shall be: 7 days after issuing of Purchase Order |
| Procedure for Disputes GCC 24 | No Adjudicator shall be appointed under the contract and arbitration shall not apply. If any dispute arises between the Employer and the Contractor in connection with or arising out of the Contract, the parties shall seek to resolve any such dispute by amicable agreement. If the parties fail to resolve such dispute by amicable agreement, within 14 days after one party has notified the other in writing of the dispute, then the dispute shall be referred to court by either party. |
| Program GCC 25.1 | The Contractor shall submit for approval a Program for the Works within 7 working days from the date of the Letter of Acceptance or issue of Purchase Order Agreement. |
| GCC 25.3 | Program updates shall be required. |
| Defects Liability Period GCC 33.1 | The Defects Liability Period is: 365 days after final inspection and handover. |

| GCC Clause Reference | Special Conditions |
|--|---|
| Payment Certificates GCC 39.7 | “Multiple statement of the estimated value of the work executed shall be submitted on completion of the Works. The Project Manager shall check the statement and certify the amount to be paid to the Contractor”. |
| Payments GCC 40 | The amount certified by the Project Manager shall be paid in full within 30 days of receipt by the Employer of an invoice, supported by: (a) the payment certificate; and (b) a certificate of Completion of the Works. |
| Adverse weather Conditions GCC 41.1 (l) | Weather condition under which normal project work cannot be executed. |
| Price Adjustment GCC 44. | The Contract is not subject to price adjustment. |
| Retention GCC 45. | 10% of the amount shall be retained from any payment. Half of the retention money will be released after formal taking over of the Works and the remaining shall be released after the Defect Liability Period subject to the Contractor making good all defects. |
| Liquidated Damages GCC 46.1 | The liquidated damages for the whole of the Works are 4% per week. The maximum amount of liquidated damages for the whole of the Works is amount based on a maximum number of weeks 10% maximum of contract price. |
| Advance Payment GCC 48.1 | No advance payment shall be made |
| Performance Security GCC 49.1 | (i) A Performance Security in the form of a Bank Guarantee representing 10% of the final contract price shall NOT be required. |
| GCC 56.1 | Operating and maintenance manuals should be supplied to the employer by the contractor not later than: Provided during hand over. |
| GCC 59.1 | The percentage to apply to the value of the work not completed, representing the Employer’s additional cost for completing the Works, is: 10% of the contracted amount |

SCHEDULE 3: QUOTATION CHECKLIST SCHEDULE

Procurement Reference No.:

| Description | Attached | Not Attached |
|--|-----------------|---------------------|
| Priced Activity Schedules | | |
| Specification and Compliance Sheet | | |
| Bid Declaration Security | | |
| Valid certified Company registration Certificate | | |
| Reference letter from Kunene Regional Constituency Councillor | | |
| Valid certified Affirmative Action Compliance Certificate | | |
| Valid certified Good Standing Certificate from Social Security | | |
| Valid certified Good Standing Certificate from Ministry of Finance | | |
| Valid certified SME Certificate | | |
| Confirmation of Bank Account Letter from a Commercial Bank | | |
| Two Purchase orders or completion certificate of completed works with the same complexity. | | |
| Qualification of a Plumber, Brick Layer from reputable Education Institution accredited by NQA | | |
| Qualification of Electrician from a reputable Education Institution accredited by NQA with wiring licence. | | |

Disclaimer: The list defined above is meant to assist the Bidder in submitting the relevant documents and shall not be a ground for the bidder to justify its non-submission of major documents for its quotation to be responsive. The onus remains on the Bidder to ascertain that it has submitted all the documents that have been requested and are needed for its submission to be complete and responsive.