



**REPUBLIC OF NAMIBIA**  
**KUNENE REGIONAL COUNCIL**  
**DIRECTORATE: EDUCATION, ARTS & CULTURE**



# **Request for Quotations For Works**

## **Renovations of Library**

---

### **Major Renovation at Khorixas Library**

---

**Procurement Reference No: W/RFQ/KRC: DoEAC-03/2024**

Kunene Regional Council  
P/Bag 502  
Opuwo  
Namibia

TEL: 065 273950  
pmu@kunenerc.gov.na

Name of bidder: \_\_\_\_\_

Contact Number of Bidder: \_\_\_\_\_

Email Address of Bidder: \_\_\_\_\_

Authorized Representative of Bidder: \_\_\_\_\_

Signature of Bidder: \_\_\_\_\_

Bid total amount: N\$ \_\_\_\_\_



**REPUBLIC OF NAMIBIA**  
**KUNENE REGIONAL COUNCIL**  
**DIRECTORATE: EDUCATION, ARTS & CULTURE**



**Letter of Invitation**

**To:** \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Procurement Reference Number: W/RFQ/KRC: DoEAC-03/2024

Dear Sirs,


**Request for Quotations for Major Renovation at Khorixas Library for the Directorate of Education, Arts and Culture: Kunene Regional Council**


Bidders are invited resulting contract shall be subject to the terms and conditions referred to in the document.

Queries, if any, should be addressed to **Mr. Simeon Kariko @ 081 148 2090** or **Mr. John I. Haraseb @ 081 778 8356**

Please prepare and submit your quotation in accordance with the instructions given or inform the undersigned if you will not be submitting a quotation.

Yours faithfully,

  
**G.P. KAMSEB**  
CHIEF REGIONAL OFFICER



## **SECTION I: INSTRUCTIONS TO BIDDERS**

### **1. Rights of Public Entity**

The Kunene Regional Council: Directorate of Education, Arts and Culture reserves the right:

- a) to split the contract as per the lowest evaluated cost per lot; and
- b) to accept or reject any quotation or to cancel the quotation process and reject all quotations at any time prior to contract award.

### **2. Preparation of Quotations**

You are requested to quote for the works mentioned in Section III, by completing, signing and returning:

- a) the Quotation Letter in Section II with its annex for Bid Securing Declaration, where applicable;
- b) the Priced Activity Schedule in Section IV;
- c) the Specifications and Compliance Sheet in Section V; and
- d) any other attachment as deemed appropriate

You are advised to carefully read the complete Request for Quotations document, including the Special Conditions of Contract in Section VII, before preparing your Quotation. The standard forms in this document may be retyped for completion but the Bidder is responsible for their accurate reproduction.

### **3. Validity of Quotations**

The quotation validity period shall be **180 days** from the date of bid submission deadline.

### **4. Eligibility Criteria**

To be eligible to participate in this Quotation exercise, you should:

- have a valid certified copy (NAMPOL) of company Registration Certificate;
- have an original or valid certified copy (NAMPOL) of good Standing Tax Certificate;
- have an original or valid certified copy (NAMPOL) of good Standing Social Security Certificate;
- have a valid certified copy (NAMPOL) of Affirmative Action Compliance Certificate, proof from Employment Equity Commissioner that bidder is not a relevant employer, or exemption issued in terms of Section 42 of the Affirmative Action Act, 1998;
- have a valid certified copy (NAMPOL) of certificate indicating SME Status (for Bids reserved for SMEs);
- submit signed bid securing declaration;
- an undertaking on the part of the Bidder that the salaries and wages payable to its personnel in respect of this proposal are compliant to the relevant laws, Remuneration Order and Award, where applicable

and that it will abide to sub-clause 4.6 of the General Conditions of the Contract if it is awarded the contract or part thereof;

- attach proof of confirmation of account from a Namibian Banking institution;
- bidders place of principal business must be in Kunene Region. (Attach less than two months confirmation letter from the respective Regional Councillor responsible for Constituency in which your company operates);
- attach certified copies (NAMPOL) of qualifications of a Plumber, Brick Layer and a Electrician from reputable Education Institution accredited by NQA;
- have a minimum experience of two years as prime contractor in the construction of works of similar nature and complexity equivalent to proposed works, attach two reference letters on the completed similar works from previous employers; and
- attach a valid copy(ies) (NAMPOL) of the Company's owner's national identification document(s).

#### **5. Bid Securing Declaration**

Bidders are required to subscribe to a Bid Securing Declaration for this procurement process.

#### **6. Works Completion Period**

The completion period for works shall be 60 days after acceptance and issue of Purchase Order. Deviation in completion period shall not be accepted.

#### **7. Sealing and Marking of Quotations**

Quotations should be sealed in a single envelope, clearly marked with the Procurement Reference Number, addressed to the Public Entity with the Bidder's name at the back of the envelope.

#### **8. Submission of Quotations**

Quotations should be deposited in the Quotation/Bid Box located at P/Bag 502 Opuwo Kunene Regional Council, Mbumbijazo Muharukua Street, Opuwo or forwarded by fax 065-273077, not later than **03 June 2024 at 11h00 AM. Quotations by post or hand delivered should reach Kunene Regional Council Mbumbijazo Muharukua Street, P/Bag 502 Opuwo by the same date and time at latest 11h00. Late quotations will be rejected.** Quotations received by e-mail or fax will not be considered.

#### **9. Opening of Quotations**

Quotations will be opened internally by the Public Entity immediately after the closing time referred to in section 8 above. A record of the Quotation Opening stating the name of the bidders, the amount quoted, the presence or absence of a Bid Security/Bid Securing Declaration, will be posted on the website of the Public Entity and available to any bidder on request within three working days of the Opening.

## **Evaluation of Quotations**

The Public Entity shall have the right to request for clarifications in writing during evaluation. Offers that are substantially responsive shall be compared on the basis of evaluated cost, subject to Margin of Preference where applicable, to determine the lowest evaluated quotation.

### **10. Technical Compliance**

The Specifications and Compliance Sheet details the minimum specifications of the works to be carried out. The specifications have to be met, but no credit will be given for exceeding the specifications.

### **11. Prices and Currency of Payment**

Prices for the execution of works shall be fixed in Namibian Dollars as quoted.

Quotations shall cover all costs of labour, materials, equipment, overheads, profits and all associated costs for performing the works, and shall include all duties. The whole cost of performing the works shall be included in the items stated, and the cost of any incidental works shall be deemed to be included in the prices quoted.

### **12. Margin of Preference**

13.1 The applicable margins of preference and their application methodology are as follows:

**5% margin of preference shall be given to bidders from Kunene Region.**

### **13. Award of Contract**

The Bidder having submitted the lowest evaluated responsive quotation that is 0% above and not less than 10% below the engineer's estimates, with market related rates and qualified to perform the works shall be selected for award of contract. Award of contract shall be by issue of a Purchase Order/Letter of Acceptance in accordance with terms and conditions contained in Section VI: Contract Agreement and General Conditions of Contract.

### **14. Performance Security**

A Performance Security in the form of a Bank Guarantee representing 10% of the final contract price shall be. **Not Applicable**

### **15. Notification of Award and Debriefing**

The Public Entity shall after award of contract promptly inform all unsuccessful bidders in writing of the name and address of the successful bidder and the contract amount and post a notice of award

on its website within 7 days. Furthermore, the Public Entity shall attend to all requests for debriefing made in writing within seven days of the unsuccessful bidders being informed of the award.

## ANNEXURE 2

### LOCAL SOURCING DECLARATION (Section 73 of Act)

Regulation 37(5) and 56(2)

Date: .....

Bid No: .....

To: .....

[insert complete name of Public Entity]

I/ We\* understand that in terms of section 45 of the Act a public entity must include in the bidding document the requirement for a local sourcing declaration by the bidders.

I/ We\* accept that under section 45 of the Act, I/ we\* may be suspended or disqualified in the event of-

- a) If found that the goods, works and services are found to be not meeting the local content and is not supplied by the suppliers based and operating from Kunene region, where the goods are required.
- b) I/ we\* understand this local sourcing declaration ceases to be valid if I am/ We are\* not the successful Bidder

Signed:.....

[insert complete name of person whose name and capacity are shown] Capacity of: [indicate legal capacity of persons(s) signing the local sourcing declaration]

Name:.....

[insert complete name of person signing the local sourcing declaration]

Duly authorized to sign the bid for and on behalf of: [insert complete name of Bidder]

Dated on \_\_\_\_\_ day of \_\_\_\_\_ [insert date of signing]

Corporate Seal (where appropriate)

[Note\*: In case of joint venture, the local sourcing declaration must be in the name of all partners to the joint venture that submits the bid.]\*delete if not applicable appropriate

**For office use only**

#### A. Evaluation Criteria (for office use only)

	Max Marks
<b>Implement the empowerment and industrialization policies of Government</b>	<b>100</b>
Local bidder	30
Women	20
Youth (age 18 - 35)	50
<b>Total</b>	

## SECTION II: QUOTATION LETTER

(to be completed by Bidders)

[Complete this form with all the requested details and submit it as the first page of your quotation with the Priced Activity Schedule and documents requested above. A signature and authorisation on this form will confirm that the terms and conditions of the RFQ prevail over any attachments. **If your quotation is not authorised, it will be rejected**

Quotation addressed to:	
Procurement Reference Number:	
Subject matter of Procurement:	

We offer to execute the Works detailed in the Statement of Requirements, in accordance with the terms and conditions stated in your Request for Sealed Quotations referenced above.

We confirm that we are eligible to participate in this Quotation exercise and meet the eligibility criteria specified in Section 1: Instructions to Bidders

We undertake to abide by the Conduct of Bidders and Suppliers as provided under the Public Procurement Act during the procurement process and the execution of any resulting contract.

We have read and understood the content of the Bid Securing Declaration (BSD) attached hereto and subscribe fully to the terms and conditions contained therein. We further understand that this subscription shall be construed as a Bid Securing Declaration which could lead to disqualification on the grounds mentioned in the BSD. The validity period of our Quotation is \_\_\_\_\_ days from the date of the bid submission deadline.

We confirm that the prices quoted in the Priced Activity Schedule are fixed and firm and will not be subject to revision or variation, if we are awarded the contract **prior to the expiry** date of the quotation validity.

Works will commence within 7 days from date of issue of Purchase Order/ Letter of Acceptance.

Works will be completed within 60 days from date of issue of Purchase Order/Letter of acceptance.

We declare that we “qualify/do not qualify” for Margin of Preference applicable to Small and Medium enterprises and shall upon request submit documentary evidence in this respect. *[Bidder to strike out as appropriate]*

### Quotation Authorised by:

Name of Bidder		Company's Address and seal	
Contact Person			
Name of Person Authorising the Quotation:		Position:	Signature:
Date		Phone No./ E-mail	

**BID SECURING DECLARATION**  
**(Section 45 of Act)**  
**(Regulation 37(5) and 56(2))**

**Date:** \_\_\_\_\_

**Procurement Ref No.:** \_\_\_\_\_

**To:** \_\_\_\_\_

\_\_\_\_\_  
*[insert complete name of Public entity and address]*

I/We\* understand that in terms of section 45 of the Act a public entity must include in the bidding document the requirement for a declaration as an alternative form of bid security.

I/We\* accept that under section 45 of the Act, I/we\* may be suspended or disqualified in the event of

- (a) a modification or withdrawal of a bid after the deadline for submission of bids during the period of validity;**
- (b) refusal by a bidder to accept a correction of an error appearing on the face of a bid;**
- (c) failure to sign a procurement contract in accordance with the terms and conditions set forth in the bidding document, should I/We\* be bidder; or**
- (d) failure to provide security for the performance of the procurement contract if required to do so by the bidding document.**

I/We\* understand this bid securing declaration ceases to be valid if I am/We are\* not the successful Bidder

Signed: \_\_\_\_\_

*[insert signature of person whose name and capacity are shown]*

Capacity of: \_\_\_\_\_

*[indicate legal capacity of person(s) signing the Bid Securing Declaration]*

Name: \_\_\_\_\_

*[insert complete name of person signing the Bid Securing Declaration]*

Duly authorized to sign the bid for and on behalf of: *[insert complete name of Bidder]*

Dated on \_\_\_\_\_ day of \_\_\_\_\_ *[insert date of signing]*

Corporate Seal (where appropriate)

*[Note\*: In case of a joint venture, the bid securing declaration must be in the name of all partners to the joint venture that submits the bid.]*

***\*delete if not applicable / appropriate***



**Republic Of Namibia**

**Ministry of Labour, Industrial Relations and Employment Creation**

**Written undertaking in terms of section 138 of the Labour Act, 2015 and  
section 50(2) (D) of the Public Procurement Act, 2015**

**1. EMPLOYERS DETAILS**

Company Trade Name: \_\_\_\_\_

Registration Number: \_\_\_\_\_

Vat Number: \_\_\_\_\_

Industry/Sector: \_\_\_\_\_

Place of Business: \_\_\_\_\_

Physical Address: \_\_\_\_\_

Tell No.: \_\_\_\_\_

Fax No.: \_\_\_\_\_

Email Address: \_\_\_\_\_

Postal Address: \_\_\_\_\_

Full name of Owner/Accounting Officer: \_\_\_\_\_

\_\_\_\_\_  
Email Address : \_\_\_\_\_

## 2. PROCUREMENT DETAILS

Procurement Reference No: \_\_\_\_\_

Procurement Description: \_\_\_\_\_

Anticipated Contract Duration: \_\_\_\_\_

Location where work will be done, good/services will be delivered: \_\_\_\_\_

## 3. UNDERTAKING

I \_\_\_\_\_ *[insert full name]*, owner/representative  
of \_\_\_\_\_ *[insert full name of company]*

hereby undertake in writing that my company will at all relevant times comply fully with the relevant provisions of the Labour Act and the Terms and Conditions of Collective Agreements as applicable.

I am fully aware that failure to abide to such shall lead to the action as stipulated in section 138 of the labour Act, 2007, which include but not limited to the cancellation of the contract/licence/grant/permit or concession.

**Signature:** \_\_\_\_\_

**Date:** \_\_\_\_\_

**Seal:** \_\_\_\_\_

*Please take note:*

- 1. A labour inspector may conduct unannounced inspections to assess the level of compliance*
- 2. This undertaking must be displayed at the workplace where it will be readily accessible and visible by the employees rendering service(s) in relations to the goods and services being procured under this contract.*

## SECTION III: STATEMENT OF REQUIREMENTS

### A. SCOPE OF WORKS, SPECIFICATIONS AND PERFORMANCE REQUIREMENTS

**Major Renovation at Khorixas Library in accordance with the specification provided under Section IV as per bill of quantities**

**Works shall be performed in accordance with the bills of quantities**

### PRICED ACTIVITY SCHEDULE

Procurement Reference Number: **W/RFQ/KRC-DOEAC-03/2024**

*[Complete the unit and total prices for each item listed below in Namibian Dollars. Authorize the prices quoted in the signature block below. The table shown hereunder may be redesigned and customized as per the type of services required].*

### SECTION IV: PRICED ACTIVITY SCHEDULE

Procurement Reference Number:

Item No	Brief Description of Works	Quantity	Unit of Measure	Unit Price (N\$)	Total Price (N\$)
A×	B×	C×	D×	E	F
<b>DEMOLITIONS AND ALTERATIONS</b>					
1. Prices for the demolition of brick walls must allow for the demolition and removal of small isolated beans and lintols occurring therein over openings.					
2. The area of brickwork to be demolished excludes the areas of opening in walls.					
3. Prices for the demolition of brick or concrete walls, concrete surface beds, columns, slabs and the like must allow and include for the demolition of plastered or screeded surfaces and other finishes related thereto as NO separate measurement or payment will be made in this regard.					
4. Prices for the demolition of concrete must allow for the cutting up and removal of any steel reinforced in the concrete.					
5. The Contractor must ensure the stability of adjoining walls and structures during the demolition of any concrete and / or brickwork and must provide and install any necessary propping that may be necessary to ensure such stability and prices must allow herefore.					
<b>Breaking up or breaking down and removing concrete</b>					
1.	Concrete surface beds, aprons, pavings, etc approximately 75mm thick	1.80	m <sup>2</sup>		
<b>Taking down and removing roofs, etc.</b>					

2.	Gutters and downpipes	40.00	m		
<b>Taking out and removing doors, windows sashes from frames, gates, etc and prepare to receive new</b>					
3.	Double timber or steel door from steel or timber frame and prepare frame to receive new door (elsewhere measured)	3.00	No		
4.	Double steel gate from steel frame and prepare frame to receive new gate (elsewhere measured)	3.00	No		
<b>Taking out and removing doors, windows, frames, etc (alterations to openings and/ or building up openings where applicable elsewhere measured)</b>					
5.	Timber single double door and timber door frame not exceeding 2.5m <sup>2</sup> in area	3.00	No		
<b>Taking out and removing joinery fittings and the like</b>					
6.	Timber or metal shelving on wall bands with shelf brackets exceeding 1.5m and not exceeding 2.4m high	2.40	m		
<b>Taking out and removing taps and mixers</b>					
7.	Pillar tap, bib tap or angle valve	6.00	No		
<b>Taking out and removing sanitary fittings and appliances, including taps and traps, including disconnecting piping from fittings and cutting back and sealing off all water and waste pipes as necessary</b>					
8.	Stainless steel or earthenware wash hand basin	2.00	No		
<b>Taking out and removing glass from steel, timber or aluminium windows and prepare to receive new (new glass elsewhere measured)</b>					
9.	Glass from steel windows, doors, sidelights and fanlights	3.00	m <sup>2</sup>		
<b>Brickwork in 7MPa cement bricks in class 11 mortar in building up openings, including cutting footings and bonding new to existing brickworks (new wall finishes elsewhere measured)</b>					
10.	One brick walls	4.00	m <sup>2</sup>		
<b>Breaking out for and forming openings through brick walls for new door frames and windows including making good plaster on both sides and into reveals with concrete threshold with steel trowelled finish and building in frames (new lintols, door frames and windows and making good paintwork elsewhere)</b>					
11.	Form opening through one brick wall for pressed steel door frame not exceeding 2.5m <sup>2</sup> and make good plaster around both sides	1.00	No		
<b>CUTTING THROUGH SURFACE BEDS, ETC</b>					
12.	Cut through 100mm concrete surface bed 500mm wide for new footing and later make good filling, apply soil insecticide and make good damp proof	1.55	m		

	membrane and concrete surface bed (new footing and excavation elsewhere measured)				
<ol style="list-style-type: none"> <li><b>The Contractor must provide all necessary scaffolding for any and all required to single storey buildings and to the insides of buildings irrespective of the height of the building as no additional payment will be made in this regard.</b></li> <li><b>Scaffolding will only be measured and paid for work to the external face of the building where the building or structure is higher than one storey and to the actual height of the scaffolding erected.</b></li> <li><b>The Contractor must ensure the stability of the scaffolding at all times and must provide adequate safety rails, barriers and walkways for the workmen using the scaffolding. No materials may be stored on scaffolding.</b></li> <li><b>The height of the scaffolding stated includes the ground floor level.</b></li> </ol>					
13.	Scaffolding to the external face of double storey building	2.00	m		
<b>The Tenderers attention is directed to Volume 4 for any NEW WORKS that may be required as Volume 4 must be read in conjunction herewith.</b>					
<b>REPAIRS AND SUNDRIES TO BRICKWORK</b>					
14.	Neatly cut out and remove damaged or cracked section of one brick wall, clean and prepare and rebuild removed section in 7MPa cement bricks in class 11 mortar, including cutting toothings and bonding.	12.00	m <sup>2</sup>		
<b>Sealing of existing roofs and flashings</b>					
<ol style="list-style-type: none"> <li><b>Prices must allow for the replacing of existing roofing drive screws and washers or hook bolts as may be necessary.</b></li> <li><b>Holes and roofing screws are to be sealed with Klodek waterproofing membrane. The waterproofing membrane sealing holes and roofing screws to be a minimum size 75x75mm.</b></li> <li><b>Apply one coat primer diluted with 25% water, one full undiluted primer coat, one layer of waterproofing membrane and three finishing coats all as specified and in accordance with the manufacturer's instructions.</b></li> </ol>					
15.	Seal all holes and roofing screws, etc in galvanised roof sheeting and leave watertight (measured on flat to affected roof area on slope)	4.00	m <sup>2</sup>		
<b>REPAIRS TO PLUMBING AND DRAINAGE INSTALLATIONS</b>					
<b>Sundries</b>					
16.	Clean out blockage in waste pipes not exceeding 50mm diameter from cleaning eye	2.45	m		
<b>Clean out blockage in manholes, catch pits, etc</b>					
17.	Clean out blocked manhole or catch pit exceeding 1m and not exceeding 2m deep.	4.00	No		
<b>CUTTING THROUGH EXISTING WALLS AND FINISHES, ETC AND MAKING GOOD</b>					

18.	Cut through existing concrete surface bed or apron not exceeding 100mm thick for laying of new pipe not exceeding 160mm diameter and make good concrete (new pipe elsewhere measured)	1.50	m		
<b>PAINTWORK</b>					
<b>Clean down and prepare and one coat Acrylic PVA paint</b>					
19.	On external smooth plastered walls	352.00	m <sup>2</sup>		
20.	Extra for additional one coat of paint	352.00	m <sup>2</sup>		
<b>Clean down and prepare and one coat eggshell enamel paint</b>					
21.	On internal smooth plastered walls and columns	275.00	m <sup>2</sup>		
22.	Extra for additional one coat of paint	275.00	m <sup>2</sup>		
<b>Clean down and prepare and one coat exterior</b>					
23.	On ceilings, including cornices and cover strips	180.00	m <sup>2</sup>		
24.	Extra for additional one coat of paint	180.00	m <sup>2</sup>		
<b>Clean down and prepare and one coat clear matt polyurethane varnish</b>					
25.	On flush doors	9.00	m <sup>2</sup>		
<b>EARTHWORKS</b>					
<b>25MPa/19mm concrete</b>					
26.	Surface beds, aprons, pavings, ramps, etc. cast in panels	1.80	m <sup>2</sup>		
<b>ROOF CONSTRUCTION</b>					
<b>40mm Semi-solid flush doors with hardwood veneer both sides and concealed hardwood edge strips</b>					
27.	Door size 813x2032mm high	4.00	No		
<b>44mm Solid laminated flush doors with hardwood veneer on both sides and concealed edge strips</b>					
28.	Door size 762x2032mm high	3.00	No		
<b>FLOOR COVERINGS</b>					
<b>IRONMONGERY</b>					
<b>Mortice locks</b>					
29.	Four lever upright mortice claw bolt sliding door lock with stainless steel forend	7.00	No		
<b>METALWORK</b>					
<b>1.6mm Double rebated frames suitable for one brick walls</b>					
30.	Frame for door size 813x2032mm high	2.00	No		
<b>WALL TILLING</b>					
<b>200X200X5mm White glazed ceramic wall tiles to</b>					
31.	Walls	1.00	m <sup>2</sup>		

<b>Take delivery of, transport to the site, store, protect and lay porcelain floor tiles of differing sizes fixed with and including adhesive to screeded surfaces (elsewhere measured) and flush pointed with an approved tinted waterproof jointing compound on (cost of floor tiles elsewhere)</b>					
32.	Floors to patterns	9.00	m <sup>2</sup>		
33.	Skirting 100mm high	12.00	m		
<b>SOAP, DISHES, TOILET ROLL HOLDERS, ETC</b>					
34.	Standard white glazed semi recessed toilet roll holder with ashtray size 150x150mm	2.00	No		
35.	Standard white glazed semirecessed single soap dish size 150x150mm	2.00	No		
<b>PLUMBING AND DRAINAGE</b>					
<b>0.8mm Galvanised sheet iron in</b>					
36.	Extra over gutter for stopped and	2.00	No		
37.	125x100x125mm VHV eaves gutter fixed to edge of roof sheeting and purlin with standard brackets	35.50	m		
38.	100x75mm Rainwater down pipe fixed to walls with standard brackets	8.00	m		
39.	Extra over down pipe for outlet shoe	3.00	No		
<b>White virreous china or glazed fireclay</b>					
40.	Basin size 510x405mm with two tapholes bolted to walls	5.00	No		
41.	Low level paraplegic w.c. suit comprising wash down pan, matching 9 litre low level cistern with lid and fitments, purpose made side flush lever, flush pipe and heavy duty double flap and seat fixed to wall and floor.	2.00	No		
<b>Vulcathene</b>					
42.	38mm Basin waste union with vulcanite plug and chromium plated chain and stay	2.00	No		
<b>uPVC</b>					
43.	32mm Bottle trap including tailpipe and wall flange	2.00	No		
<b>Gate valves, strainers, etc</b>					
44.	20mm Brass fullway ballcock with handle	1.00	No		
<b>Chrome plated brass taps and sundries</b>					
45.	15mm Angle regulating valve only	6.00	No		
46.	15mm Hose bib tap with hose union	1.00	No		
47.	15mm Raised nose pillar tap	5.00	No		

<b>The solar water geysers and panels must be installed by the specialist supplier of the geysers and panels</b>					
<b>Hard drawn thin walled class 0 Copper pipes to SABS 460 including all straight joints and connectors.</b>					
48.	15mm Pipe fixed or chased into walls	6.00	m		
<b>Extra over class 0 copper pipes for brass capillary fittings</b>					
49.	15mm Fittings (elbows, tees, reducing tees, adaptor couplings, etc	10.00	No		
<b>Extra over PEX/AL/Pex pipes for press-type with crimping brass fittings</b>					
<b>FIRE APPLIANCES</b>					
50.	9Kg Carbon dioxide fire extinguisher fixed to and including 22x300x400mm hardgood backing board chamfered all round and plugged to walls, including painting with one coat primer, one coat undercoat and two coats gloss enamel paint.	1.00	No		
<b>SUNDRIES TO WATER SUPPLIES</b>					
51.	450x450mm Cast iron stopcock box including crick chambar below not exceeding 750mm deep internally complete with cast iron meter box type 10A size 300x200x200x150mm high overall.	1.00	No		
<b>uPVC soil, waste and vent pipes including all straight joints and connectors</b>					
52.	40mm Pipe fixed or chased into walls	6.00	m		
53.	110mm Pipes laid in ground under solid floors	1.00	m		
<b>Extra over uPVC pipes for fittings</b>					
54.	40mm Bend	4.00	No		
55.	100mm Bend	4.00	No		
56.	400mm Access bend	4.00	No		
57.	110mm Access bend	2.00	No		
58.	110mm Access bend with vent horn	2.00	No		
<b>Underground twin-wall uPVC structured wall pipes laid in ground, including excavations, backfilling, etc and all straight joints between pipes</b>					
59.	110mm Pipes laid in and including trenches exceeding 2m and not exceeding 3m deep	20.00	m		
<b>Extra for the following fittings to underground twin-wall pipes</b>					
60.	110mm Access junction	1.00	No		
61.	110mm Cast iron 'ABC' cleaning eye	1.00	No		
<b>uPVC Gulleys with gulley head and grating encased in concrete</b>					

62.	110mm Gulley P-trap not exceeding 1m deep	1.00	No		
<b>Cast iron gratings, covers, etc</b>					
63.	450x600mm Single seal manhole cover and frame type 9D (68kg)	1.00	No		
<b>GLAZING TO STEEL WITH PUTTY</b>					
64.	Panes not exceeding 0.1m <sup>2</sup>	1.00	m <sup>2</sup>		
65.	Panes exceeding 0.1m <sup>2</sup> and not exceeding 0.5m <sup>2</sup>	2.00	m <sup>2</sup>		
<b>EXTERNAL WORKS</b>					
<b>Cutting down and removing, grubbing up roots and filling in holes</b>					
66.	Tree exceeding 1000mm and not exceeding 2000mm girth	6.00	No		
				<b>Subtotal</b>	
				<b>Preliminary 8%</b>	
				<b>Contingency 10%</b>	
				<b>VAT @ 15 %</b>	
				<b>Total</b>	

Enter 0% VAT rate if VAT exempt.

\* Columns A to D to be completed as applicable by Public Entity

**Priced Activity Schedule Authorised By:**

Name:		Signature:	
Position:		Date:	
Authorised for and on behalf of:	Company		

## SECTION V: SPECIFICATIONS AND COMPLIANCE SHEET

Procurement Reference Number: \_\_\_\_\_

## SECTION VI: GENERAL CONDITIONS OF CONTRACT AND CONTRACT AGREEMENT

Any resulting contract shall be placed by means of a Purchase Order/Letter of Acceptance and shall be subject to the General Conditions of Contract (GCC) for the Procurement of Goods (Ref. **G/RFQ-WCC**) (*available at public entities physical address/website: Insert Public Entity address/website*) except where modified by the Special Conditions below.

## SECTION VII: CONTRACT AGREEMENT

Any resulting contract shall be placed by means of a Purchase Order/Letter of Acceptance and shall be subject to the General Conditions of Contract (GCC) for the Procurement of Works except where modified by the Special Conditions below.

## SECTION VIII SPECIAL CONDITIONS OF CONTRACT

Procurement Reference Number: \_\_\_\_\_

The clause numbers given in the first column correspond to the relevant clause number of the General Conditions of Contract. *[This section is to be customised by the Public Entity to suit the requirements of the specific procurement].*

GCC Clause Reference	Special Conditions
<b>Project Manager</b> GCC 1.1(y)	The Project Manager is: Kunene Regional Council: Directorate of Education, Arts and Culture
<b>Site</b> GCC 1.1(aa)	Khorixas Library
<b>Start Date</b> GCC 1.1(dd)	The Start Date shall be: 7 days after issuing of Purchase Order.
<b>The Works</b> GCC 1.1(h)	Major Renovation at Khorixas Library
<b>Language and Law</b> GCC 3.1	The language of the contract is English The law that applies to the Contract is the law of Namibia.

GCC Clause Reference	Special Conditions
<b>Project Manager's Decisions 4.1</b>	The Project Manager shall obtain specific approval from the Employer before carrying out any of his duties under the Contract which in the Project Manager's opinion will cause the amount finally due under the Contract to exceed the Contract Price or will give entitlement to extension of time. This requirement shall be waived in an emergency affecting safety of personnel or the Works or adjacent property.
<b>Notices GCC 6</b>	<p>Any notice shall be sent to the following addresses:</p> <p>For the Employer, the address shall be as given on the page 2 of this Bidding Document and the contact name shall be:</p> <p>Kunene Regional Council Procurement Management Unit Mbumbijazo Muharukua Street P/Bag 502, Opuwo 065-273 950</p> <p><b>Email: <a href="mailto:pmu.kunenerc@gmail.com">pmu.kunenerc@gmail.com</a></b></p> <p>For the Contractor, the address shall be as given on the first page of the Purchase Order/Letter of Acceptance and the contact name shall be</p>
<b>Insurance GCC 13.1</b>	<p>Except for the cover mentioned in (d)(i) hereunder, the other insurance covers shall be in the joint names of the Contractor and the Employer and the minimum insurance amounts shall be:</p> <ul style="list-style-type: none"> <li>(a) for the Works, Plant and Materials: (for the full amount of the works including removal of debris, professional fee etc...)</li> <li>(b) for loss or damage to Equipment: (for the replacement value of the equipment that the contractor intends to use on site until the taking over by the Employer.</li> <li>(c) for loss or damage to property (except the Works, Plant, Materials, and Equipment) in connection with Contract for an amount representing the value of the properties that are exposed to the action of the contractor in the execution of the works. It will extend to the property of the Procuring Entity as well).</li> </ul>

GCC Clause Reference	Special Conditions
	<p>(d) for personal injury or death:</p> <p>(i) of the Contractor's employees: [The Contractor shall take an adequate insurance cover for its employees for any claim arising in the execution of the works].</p> <p>(ii) of other people: [This cover shall be for an adequate amount for Third Party extended to the Employer and its representatives].</p> <p>(e) for loss or damage to materials on-site and for which payment have been included in the Interim Payment Certificate, where applicable.</p> <p>The Contractor shall choose to take the insurance covers indicated above as separate covers or a combination of the Contractor's All Risks coupled with the Employer's liability and First Loss Burglary, after approval of the Employer. All insurance covers shall be of nil or the minimum possible deductibles at sole expense of the contractor.</p>
<b>Intended Completion Date</b> <b>GCC 16.1</b>	The Intended Completion Date for the whole of the Works shall be: 60 days from date of site handover.
<b>Possession of the Site</b> <b>GCC 20.1</b>	The Site Possession Date shall be: 7 days after issuing of Purchase Order
<b>Procedure for Disputes</b> <b>GCC 24</b>	No Adjudicator shall be appointed under the contract and arbitration shall not apply. If any dispute arises between the Employer and the Contractor in connection with or arising out of the Contract, the parties shall seek to resolve any such dispute by amicable agreement. If the parties fail to resolve such dispute by amicable agreement, within 14 days after one party has notified the other in writing of the dispute, then the dispute shall be referred to court by either party.
<b>Program</b> <b>GCC 25.1</b>	The Contractor shall submit for approval a Program for the Works within 7 working days from the date of the Letter of Acceptance or issue of Purchase Order Agreement.
<b>GCC 25.3</b>	Program updates shall be required.
<b>Defects Liability Period</b> <b>GCC 33.1</b>	The Defects Liability Period is: 365 days after final inspection and handover.

GCC Clause Reference	Special Conditions
<b>Payment Certificates GCC 39.7</b>	“Multiple statement of the estimated value of the work executed shall be submitted on completion of the Works. The Project Manager shall check the statement and certify the amount to be paid to the Contractor”.
<b>Payments GCC 40</b>	The amount certified by the Project Manager shall be paid in full within 30 days of receipt by the Employer of an invoice, supported by: (a) the payment certificate; and (b) a certificate of Completion of the Works.
<b>Adverse weather Conditions GCC 41.1 (I)</b>	Weather condition under which normal project work cannot be executed.
<b>Price Adjustment GCC 44.</b>	The Contract is not subject to price adjustment.
<b>Retention GCC 45.</b>	10% of the amount shall be retained from any payment. Half of the retention money will be released after formal taking over of the Works and the remaining shall be released after the Defect Liability Period subject to the Contractor making good all defects.
<b>Liquidated Damages GCC 46.1</b>	The liquidated damages for the whole of the Works are 4% per week.  The maximum amount of liquidated damages for the whole of the Works is amount based on a maximum number of weeks 10% maximum of contract price.
<b>Advance Payment GCC 48.1</b>	No advance payment shall be made
<b>Performance Security GCC 49.1</b>	(i) A Performance Security in the form of a Bank Guarantee representing 10% of the final contract price shall <b>NOT</b> be required.
<b>GCC 56.1</b>	Operating and maintenance manuals should be supplied to the employer by the contractor not later than: Provided during hand over.

GCC Clause Reference	Special Conditions
<b>GCC 59.1</b>	The percentage to apply to the value of the work not completed, representing the Employer's additional cost for completing the Works, is: 10% of the contracted amount

### SCHEDULE 3: QUOTATION CHECKLIST SCHEDULE

**Procurement Reference No.:**

<b>Description</b>	<b>Attached</b>	<b>Not Attached</b>
Priced Activity Schedules		
Specification and Compliance Sheet		
Bid Declaration Security		
Valid certified Company registration Certificate		
Reference letter from Kunene Regional Constituency Councillor		
Valid certified Affirmative Action Compliance Certificate		
Valid certified Good Standing Certificate from Social Security		
Valid certified Good Standing Certificate from Ministry of Finance		
Valid certified SME Certificate		
Confirmation of Bank Account Letter from a Commercial Bank		
Two Purchase orders or completion certificate of completed works with the same complexity.		
Qualification of a Plumber, Brick Layer from reputable Education Institution accredited by NQA		
Qualification of Electrician from a reputable Education Institution accredited by NQA with wiring licence.		

**Disclaimer:** The list defined above is meant to assist the Bidder in submitting the relevant documents and shall not be a ground for the bidder to justify its non-submission of major documents for its quotation to be responsive. The onus remains on the Bidder to ascertain that it has submitted all the documents that have been requested and are needed for its submission to be complete and responsive.