

KUNENE REGIONAL COUNCIL



Tel: +264-65-273950 Fax:+264-65-273077 M. Muharukua Street OPUWO, NAMIBIA Private Bag 502 OPUWO, NAMIBIA

REQUEST FOR QUOTATIONS FOR WORKS

MINOR RENOVATION OF THE OKANGUATI RURAL ICT CENTRE IN EPUPA CONSTITUENTCY

Procurement Reference No: W/RFQ/KRC: MICT-01/2023

Name of bidder:
Contact Number of Bidder:
Email Address of Bidder:
Authorized Representative of Bidder:
Signature of Bidder:
Bid Total Amount: N\$:

Kunene Regional Council Private Bag 502 Opuwo

Tel: +264-65-273950



Kunene Regional Council



Private Bag 502, Opuwo

Tel: 065 273950, Fax: 065 273077

Letter of Invitation

		01 September 2023
To:	•••••	

•••••	•••••	
Procurement Reference No: W/R	RFQ/KRC:MICT-01/202	23
Dear Sir/Madam,		
Minor renovation of the Okangua	ati Rural ICT Centre in 1	Epupa Constituency
The Kunene Regional Council invited detail hereunder.	tes you to submit your bes	t quote for the works described in
Any resulting contract shall be subj	ject to the terms and condi-	tions referred to in the document.
Queries, if any, should be addressed lot.shikongo@gmail.com or pmu.ke	0 1	ll: 0813393698 or email to
Please prepare and submit your quoundersigned if you will not be subm		the instructions given or inform the
Yours faithfully,	ENT PRIVATE BAG 502	L
G.P KAMSEB	2023 -09- 0 1	
CHIEF REGIONAL OFFICER	TEL 065-273950 FAX: 065-273977 RECEIVED	

SECTION I: INSTRUCTIONS TO BIDDERS

1. Rights of Public Entity

The Kunene Regional Council reserves the right:

- (a) to split the contract as per the lowest evaluated cost per lot; and
- (b) to accept or reject any quotation or to cancel the quotation process and reject all quotations at any time prior to contract award.

2. Preparation of Quotations

You are requested to quote for the works mentioned in Section III, by completing, signing and returning:

- (a) the Quotation Letter in Section II with its annex for Bid Securing Declaration, where applicable;
- (b) the Priced Activity Schedule in Section IV;
- (c) the Specifications and Compliance Sheet in Section V; and
- (d) any other attachment as deemed appropriate

You are advised to carefully read the complete Request for Quotations document, including the Special Conditions of Contract in Section VII, before preparing your Quotation. The standard forms in this document may be retyped for completion but the Bidder is responsible for their accurate reproduction.

3. Validity of Quotations

The quotation validity period shall be 180 days from the date of bid submission deadline.

4. Eligibility Criteria

To be eligible to participate in this Quotation exercise, you should:

- (a) have a certified valid copy of company Registration Certificate:
- (b) have a certified valid copy of good Standing Tax Certificate;
- (c) have a certified valid copy of good Standing Social Security Certificate;
- (d) have a valid certified copy of copy of Affirmative Action Compliance Certificate, proof from Employment Equity Commissioner that bidder is not a relevant employer, or exemption issued in terms of Section 42 of the Affirmative Action Act, 1998;
- (e) have a valid certified copy of certificate indicating SME Status (for Bids reserved for SMEs);
- (f) Submit signed bid-securing declaration.
- (g) Attach proof of confirmation of account from a Namibian Banking Institution
- (h) Attach qualifications of Bricklayer and Electrician with a wiring License
- (i) Attach two completion certificates or reference letters of construction or renovation undertaken.
- (j) An undertaking on the part of the Bidder that the salaries and wages payable to its personnel in respect of this proposal are compliant to the relevant laws, Remuneration Order, and Award, where applicable and that it will abide to subclause 4.6 of the General conditions of Contract if it is awarded the contract or part thereof; and;

- (k) Attach copy of National Identification document for the owner of the company.
- (1) 5% Preferences shall be given to SME bidders operating within Kunene Region where goods are required. Therefore, attach a confirmation letter from Councillor's office (not older than two months).

5. Bid Security/Bid Securing Declaration

Bidders are required to subscribe to a Bid Securing Declaration for this procurement process.

6. Works Completion Period

The completion period for works shall be **30 days** after acceptance and issue of Purchase Order. Deviation in completion period shall not be accepted/shall be considered if such deviation is reasonable Kunene Regional Council to select as appropriate.

7. Sealing and Marking of Quotations

Quotations should be sealed in a single envelope, clearly marked with the Procurement Reference Number, addressed to the Public Entity with the Bidder's name at the back of the envelope.

8. Submission of Quotations

Quotations should be deposited in the Quotation/Bid Box located at Kunene Regional Council, Mumbijazo Muharukua Street, P/Bag 502, Opuwo, not later than **21 September 2023** at 11h00. Late quotations will be rejected. Quotations received by e-mail will not be considered.

9. Opening of Quotations

Quotations will be opened internally by the Public Entity immediately after the closing time referred to in section 8 above. A record of the Quotation Opening stating the name of the bidders, the amount quoted, the presence or absence of a Bid Security/Bid Securing Declaration, will be posted on the website of the Public Entity and available to any bidder on request within three working days of the Opening.

10. Evaluation of Quotations

The Public Entity shall have the right to request for clarifications in writing during evaluation. Offers that are substantially responsive shall be compared on the basis of evaluated cost, subject to Margin of Preference where applicable, to determine the lowest evaluated quotation.

11. Technical Compliance

The Specifications and Compliance Sheet details the minimum specifications of the works to be carried out. The specifications have to be met, but no credit will be given for exceeding the specifications.

12. Prices and Currency of Payment

Prices for the execution of works shall be fixed in Namibian Dollars as quoted. Quotations shall cover all costs of labour, materials, equipment, overheads, profits and all associated costs for performing the works, and shall include all duties. The whole cost of performing the works shall be included in the items stated, and the cost of any incidental works shall be deemed to be included in the prices quoted.

13. Margin of Preference

The applicable margins of preference and their application methodology are as follows:

14. The applicable margins of preference and their application methodology are as follows: 5% Preferences shall be given to SME bidders operating within Kunene Region where goods are required.

15. Award of Contract

The Bidder having submitted the lowest evaluated responsive quotation that is not more than 0% above and not less than 3% below the budgeted amount with market related rates and qualified to perform the works shall be selected for award of contract. Award of contract shall be by issue of a Purchase Order/Letter of Acceptance in accordance with terms and conditions contained in Section VI: Contract Agreement and General Conditions of Contract.

16. Performance Security

Not applicable

NB: Bidders previously awarded bid (s) by Kunene Regional Council and still have outstanding delivery of works/service /goods will not be considered for this procurement.

17. Notification of Award and Debriefing

The Public Entity shall after award of contract promptly inform all unsuccessful bidders in writing of the name and address of the successful bidder and the contract amount and post a notice of award on its website within 7 days. Furthermore, the Public Entity shall attend to all requests for debriefing made in writing within 7 days of the unsuccessful bidders being informed of the award.

SECTION II: QUOTATION LETTER

(to be completed by Bidders)

[Complete this form with all the requested details and submit it as the first page of your quotation with the Priced Activity Schedule and documents requested above. A signature and authorisation on this form will confirm that the terms and conditions of the RFQ prevail over any attachments. If your quotation is not authorised, it will be rejected

Quotation addres	ssed to).'				
Procurement Ret	ferenc	e Number:				
Subject matter of	f Proc	urement:				
		the Works detaile stated in your Req			_	ments, in accordance with the renced above.
		are eligible to pa ection 1: Instruction	-	_	otation exe	ercise and meet the eligibility
		*			* *	as provided under the Publi any resulting contract.
attached hereto understand that	and this	subscribe fully t	o the term d lead [<i>for</i>	is and cor	nditions co	Securing Declaration (BSD ontained therein. We further ity amount / disqualification
The validity per		f our Quotation is ne.		days [ins	ert numbe.	r of days] from the date of th
	ion o	•		*		fixed and firm and will not b or to the expiry date of the
Works will con Purchase Order/		er of Acceptance.		_ [insert	number]	days from date of issue of
Works will be Purchase Order/	_	oleted withiner of acceptance.		[inse	rt number	Jdays from date of issue o
Quotation Autl	orise	ed by:				
Name of Bidder			(Company's	Address a	nd seal
Contact Person						
Name of Person	Autho	rising the Quotatio	n: I	Position:		Signature:
Date			Phone No	./E-mail		

BID SECURING DECLARATION

(Section 45 of Act) (Regulation 37(1) (b) and 37(5))

Date:	······································
Procu	rement Ref No.:
	understand that in terms of section 45 of the Act a public entity must include in the bidding tent the requirement for a declaration as an alternative form of bid security.
I/We*	accept that under section 45 of the Act, I/we* may be suspended or disqualified in the event of
(a)	a modification or withdrawal of a bid after the deadline for submission of bids during the period of validity;
(b)	refusal by a bidder to accept a correction of an error appearing on the face of a bid;
(c)	failure to sign a procurement contract in accordance with the terms and conditions set forth in the bidding document, should I/We* be successful bidder; or
(d)	failure to provide security for the performance of the procurement contract if required to do so by the bidding document.
I/We* ı	understand this bid securing declaration ceases to be valid if I am/We are* not the successful Bidder
	:signature of person whose name and capacity are shown]
Capacit [indica	ty of: te legal capacity of person(s) signing the Bid Securing Declaration]
	complete name of person signing the Bid Securing Declaration]
Duly au	athorized to sign the bid for and on behalf of: [insert complete name of Bidder]
Dated (on day of t date of signing]
[Note*	rate Seal (where appropriate) : In case of a joint venture, the bid securing declaration must be in the name of all partners to the enture that submits the bid.]

*delete if not applicable / appropriate

ANNEXURE 2

LOCAL SOURCING DECLARATION

(Section 73 of Act)	
Regulation 37(5) and 56(2)	

Date:
Bid No:
То:
[insert complete name of Public Entity]

I/ We* understand that in terms of section 45 of the Act a public entity must include in the bidding document the requirement for a local sourcing declaration by the bidders. I/ We* accept that under section 45 of the Act, I/ we* may be suspended or disqualified in the event of-

- a) If found that the goods, works and services are found to be not meeting the local content and is not supplied by the suppliers based and operating from Kunene region, where the goods are required.
- b) I/ we* understand this local sourcing declaration ceases to be valid if I am/ We are* not the successful Bidder

Signed:		
	ne of person whose name and ty of persons(s) signing the local	d capacity are shown] Capacity of sourcing declaration]
[insert complete name	e of person signing the local sou	rcing declaration]
Duly authorized to s	sign the bid for and on behalf	of: [insert complete name of
Bidder]		
Dated on	day of	[insert date
of signing]		_
Corporate Seal (when	e appropriate)	

[Note*: In case of joint venture, the local sourcing declaration must be in the name of all partners to the joint venture that submits the bid.]*delete if not applicable appropriate.

A. Evaluation Criteria (for office use Only)

	Max Marks
Implement the empowerment and industrialization policies of Government	100
Local bidder	50
Women	20
Youth (age 18 – 35)	30
Tot	al



Republic Of Namibia

Ministry of Labour, Industrial Relations and Employment Creation

Witten undertaking in terms of section 138 of the Labour Act, 2015 and section 50(2)(D) of the Public Procurement Act, 2015

1. EMPLOYERS DETAILS

Company Trade Name:
Registration Number :
Vat Number:
Industry/Sector:
Place of Business:
Physical Address:
Tell No.:
Fax No.:
Email Address:
Postal Address:
Full name of Owner/Accounting Officer:
•••••••••••••••••••••••••••••••••••••••
Email Address:

PROCUREMENT DETAILS 2.

Procurement Reference No.:
Procurement Description:
&*************************************
Anticipated Contract Duration:
Location where work will be done, good/services will be delivered:
3. UNDERTAKING
I
of
hereby undertake in writing that my company will at all relevant times comply fully with the relevant provisions of the Labour Act and the Terms and Conditions of Collective Agreements as applicable.
I am fully aware that failure to abide to such shall lead to the action as stipulated in section 138 of the labour Act, 2007, which include but not limited to the cancellation of the contract/licence/grant/permit or concession.
Signature:
Date:
Seal:

Please take note:

- A labour inspector may conduct unannounced inspections to assess the level of compliance
 This undertaking must be displayed at the workplace where it will be readily accessible and visible by the employees rendering service(s) in relations to the goods and services being procured under this contract.

SECTION III: STATEMENT OF REQUIREMENTS

This text hereunder is a guidance for the preparation of the Specifications and Performance Requirements and should not form part of the final document

A set of precise and clear Specifications is a prerequisite for bidders to respond realistically and competitively to the requirements of the Public Entity without qualifying or conditioning their quotations. Specifications must be drafted to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done shall the objectives of economy, efficiency, and fairness in procurement be realized, responsiveness of quotations be ensured, and the subsequent task of quotation evaluation facilitated. The Specifications should require that all goods and materials to be incorporated in the Works be new, unused, of the most recent or current models, and incorporate all recent improvements in design and materials unless provided otherwise in the Contract.

Samples of Specifications from previous similar Contracts are useful in preparing Specifications. Most Specifications are normally written specially by the Public Entity to suit the Contract Works in hand. There is no standard set of Specifications for universal application in all sectors, but there are established principles and practices, which are reflected in these Documents.

There are considerable advantages in standardizing General Specifications for repetitive Works in recognized public sectors. The General Specifications should cover all classes of workmanship, materials, and equipment commonly involved in construction, although not necessarily to be used in a particular Works Contract. Deletions or addendums should then adapt the General Specifications to apply them to the particular Works.

Care must be taken in drafting Specifications to ensure that they are not restrictive. In the Specifications of standards for goods, materials, and workmanship, recognized international standards should be used as much as possible. Where other particular standards are used, whether national standards of Namibia or other standards, the Specifications should state that goods, materials, and workmanship that meet other authoritative standards, and which ensure substantially equal or higher quality than the standards mentioned, shall also be acceptable. To that effect, the following sample clause may be inserted in the Special Conditions or Specifications.

Equivalency of Standards and Codes

Wherever reference is made in the Contract to specific standards and codes to be met by the goods and materials to be furnished, and work performed or tested, the provisions of the latest current edition or revision of the relevant standards and codes in effect shall apply, unless otherwise expressly stated in the Contract.

A. SCOPE OF WORKS, SPECIFICATIONS AND PERFORMANCE REQUIREMENTS

As specified in the (price activity schedule Section IV)

B. DRAWINGS

None

SECTION IV: PRICED ACTIVITY SCHEDULE

Procurement Reference Number:	
1. Minor renovation of the	kanguati Rural ICT Centre

Item No	Brief Description of Services	Quantit y	Unit of Meas ure	Unit Price	Total Price
A*	B*	C*	D*	E	F
1.	Sealing of existing roofs and flashings				
2.	 Prices must allow for the replacing of existing roofing drive screws and washers or hook bolts as may be necessary. Holes and roofing screws are to be sealed with Klodek waterproofing membrane. The waterproofing membrane sealing holes and roofing screws to be a minimum size 75x75mm. Apply one coat primer diluted with 25% water, one full undiluted primer coat, one layer of waterproofing membrane and three finishing coats all as specified and in accordance with the manufacturer's 				
3.	instructions. Seal all holes and roofing screws, etc. in galvanised roof sheeting and leave watertight (measured on flat to affected roof area on slope)	20.00	m ²		
4.	Sundries				
5.	Replace damaged or missing striker plate in steel or timber frame	1.00	No		
6.	PAINTWORK				
7.	Clean down and prepare and one coat eggshell enamel paint				
8.	On internal smooth plastered walls and columns	72.00	m ²		
9.	Extra for additional one coat of paint	72.00	m ²		
10.	Clean down and prepare and one coat gloss enamel paint				
11.	On door frames	4.00	m ²		
12.	Extra for additional one coat of paint Bill total:	4.00	m ²		
13.	EARTHWORKS	-			

14.	Back excavation in earth for working space including			
15.	backfilling compated to 93% mod AASHTO density Extra over trench and hole excavations in earth for			
10.	excavations in			
16.	Soft rock	2.00	m3	1
10.	Bill total:	2.00	1110	
17.	BRICK TEST			
18.	Brickwork of 7MPa cement bricks in class 11 mortar		-	
19.	One brick wall	7.00	m ²	
10.	Bill total:	7.00	1112	
20				
20.	ROOF CONSTRUCTION			
21.	"Bitcon Industries" fire doors with commercial veneer			
00	or other equal and approved			
22.	Wrot Meranti			
23.	44mm Framed, ledged, braced and battened door size 813x2032mm high formed of 44mmx108mm stiles and top rail, 22x108mm middle ledge, 22x228mm bottom ledge and 22x108mm diagonal braces and filled in with 22mm tongued, grooved and v-jointed vertical boarding in narrow matched widths	2.00	m ²	
	Bill total:			
24.	CEILINGS AND PARTITIONS			
25.	Sawn softwood		1	
26.	38x38mm brandering at 400mm centres in one	36.00	m ²	
	direction at joints and against walls		""	
27.	Medium density fibre cement flat boards			
28.	6mm fibrecement ceiling board in full length sheets	23.00	m ²	
	fixed to bradering (elsewhere measured) with and including 8x50mm wrot meranti cover strips over joints between sheets			
29.	Cornices			
30.	75mm coved fibrecement cornice planted on	26.00	m	
31.	0.5mm IBR profile full hard galvanised sheet steel	20.00	1111	
01.	accessories fixed in strict accordance with the manufacturer's instructions			
32.	Extra over ceiling for trap door size 600x600mm, the			
	opening formed of 40x40x0.8mm galvanised sheet			
	metal angle frame all round mitred and pop-riveted to			
	profiled metal ceiling and 50x50x3mm mild steel angle			
	frame all round mitred and welded together and to			
	steel brandering, the trap door formed of IBR profiled			
	metal sheeting with 40x40x0.8mm galvanised sheet			
	angle frame all round mitred and pop-riveted to			
	profiled metal ceiling			
	Bill total:			
33.	FLOOR COVERINGS			
34.	300X300X2,5mm semi flexible vinyl tiles to patterns in			
	differing colours fixed with and adhesive			
	recommended by and laid in strict accordance with the			
	manufacturer's instructions			

35.	Floors	40.00	m ²		
	Bill total:				
36.	IRONMONGERY				
37.	Cylinder locks				
38.	Euro profile knob cylinder lock with Euro profile lock	2.00	No		
	case and brass forend				
	Bill total:				
39.	STRUCTURAL STEELWORK				
40.	Sundry steelwork			1	
41.	Tubular hollow section posts or columns	239.00	kg		
42.	Commercial quality mild steel plates				
43.	2mm plate cut to varying shapes and sizes	11.00	m ²		
44.	Expanded meshes			1	
45.	Florex No 1 expanded metal lathing cut to varying	31.00	m ²		
	sizes		'''		
46.	Bill total:			1	
47.	METALWORK				-
48.	Gate frames and posts				
49.	40x40x3mm mild steel hollow section gate post		1		
10.	2000mm long with and including three dovetailed lugs				
	size 20x3x250mm long welded on and built into brick				
	wall				
50.	Gates				
51.	Single gate leaf size 810x2000mm high overall formed	4.00	No		
	of 40x40x3mm mild steel hollow section frame around				
	and two horizontal intermediate rails and filled in with				
	and including 20x20x2mm hollow section vertical bars				
	at approximately 70mm centres passed through and				
	welded to the intermediate rails, including two 100mm				
	weld-on type hinges, narrow style double cylinder lock				
	with escutcheons riveted to leaf and a 40x5mm mild				
	steel flat gate stop welded on to one stile for the full				
	gate height				
52.	Purpose made mild steel burglar bars welded to steel				
	windows				
53.	Burglar bars of 12mm diameter mild steel solid bars to				
	brick pattern with the vertical with bars at 100mm				
	centres welded on				
E.1	Bill total:				
54.	WALL TILING				
55.	Take delivery of, transport to the site, store, protect				
	and lay ceramic floor tiles of differing sizes fixed with		1		
	and including adhesive to screeded surfaces				
	(elsewhere measured) and flush pointed with an				
	approved tinted waterproof jointing compound on cost				
FC	of floor tiles elsewhere)	20.00	1.2		
56.	Floors to patterns	39.00	m ²		
57.	Bill total:		-		
58.	Natural anodised aluminium tiling edge strips etc.		-	-	
59.	Bull nosed tiling edge or corner strip suitable for 10mm	26.00	m		

	tiles			
60.	Bill total:			
61.	GLAZING TO STEEL WITH PUTTY			
62.	PAINTWORK			
63.	One coat primer and two coats exterior quality PVA emulsion paint			
64.	On ceiling, including cornices and cover strips	36.00	m ²	
65.	Touch up factory primer and one coat undercoat and			
	two coats gloss enamel paint			
66.	On flush panel doors and frames (both sides measured flat)	19.00	m ²	
67.	One coat primer, one coat undercoat and two coats gloss enamel paint			
68.	On gates, grilles, burglar screens, balustrades, etc. (both sides measured flat)	79.00	m ²	
	Bill total:			
69.	EXTERNAL WORKS			
70.	Road bed preparation			
71.	1 1			
	including scarifying for a depth of 150mm, breaking			
	down oversize material, adding suitable material			
	where necessary and compacting to 90% Mod			
	AASHTO density			
72.	Earth filing supplied by the contractor			
73.	Selected sub-grade course of G9 material under roads, pavings, etc. of approved granular material compacted to 90% Mod AASHTO density	28.00	m3	
74.	Soil posining			
75.	Soil insecticide under roads, paving, etc.	90.00	m ²	
76.	Concrete edge beams	1		
77.	25MPa/19mm concrete in ground beam size 200x400mm set in ground, including excavation 300mm deep and spreading and levelling excavated materials	30.00	m	
78.	Interlocking paving road stones type sf 35MPa laid on and including 20mm clean sand bed to falls and currents, including all cutting and waste			
79.	60mm Interlocking road stones in paving to roads, paving, etc.	90.00	m ²	
80.	Security fencing including two coats aluminium paint on metal stays, framing, etc.			
81.	50mm diameter inclined stay or vertical post 3m long with one end bent to detail and bolted to post and the other end with sole plate cast in and including 20MPa concrete base size 450x450x600mm	2.00	No	
82.	110mm corner or straining posts 2.7m high vertically with 600mm long 45 grade overhang with capped end and other end with sole plate cast in and including	2.00	No	

	II.		II .	
Gates in security fencing				
Gate size 300x210mm high overall in two equal leaves with 60mm long 45 grade overhang with barbed wire and covered with 50mm galvanised diamond wire mesh as for fencing and with suitable eye-bolt hinges and 300mm long galvanised drop bolts fixed in position complete				
				_
labour costs such as social security costs, pensions, bonuses and the like. 2. The labour rates must also be INCLUSIVE of all supervision costs, foreman cost and PROFIT on labour as no extra costs in connection herewith will be payable				
Hourly all-inclusive labour rate for a general handyman, metalworker, etc.	48.00			
Labour (Electrical connection)	5.00	m ²		
Bill total:				
Section total:				
	Gate size 300x210mm high overall in two equal leaves with 60mm long 45 grade overhang with barbed wire and covered with 50mm galvanised diamond wire mesh as for fencing and with suitable eye-bolt hinges and 300mm long galvanised drop—bolts fixed in position complete Bill total: NON-SCHEDULED MATERIALS 1.The following labour rates must be INCLUSIVE all labour costs such as social security costs, pensions, bonuses and the like. 2.The labour rates must also be INCLUSIVE of all supervision costs, foreman cost and PROFIT on labour as no extra costs in connection herewith will be payable Hourly all-inclusive labour rate for a general handyman, metalworker, etc. Labour (Electrical connection) Bill total:	Gate size 300x210mm high overall in two equal leaves with 60mm long 45 grade overhang with barbed wire and covered with 50mm galvanised diamond wire mesh as for fencing and with suitable eye-bolt hinges and 300mm long galvanised drop bolts fixed in position complete Bill total: NON-SCHEDULED MATERIALS 1.The following labour rates must be INCLUSIVE all labour costs such as social security costs, pensions, bonuses and the like. 2.The labour rates must also be INCLUSIVE of all supervision costs, foreman cost and PROFIT on labour as no extra costs in connection herewith will be payable Hourly all-inclusive labour rate for a general handyman, metalworker, etc. Labour (Electrical connection) 5.00 Bill total:	Gate size 300x210mm high overall in two equal leaves with 60mm long 45 grade overhang with barbed wire and covered with 50mm galvanised diamond wire mesh as for fencing and with suitable eye-bolt hinges and 300mm long galvanised drop bolts fixed in position complete Bill total: NON-SCHEDULED MATERIALS 1.The following labour rates must be INCLUSIVE all labour costs such as social security costs, pensions, bonuses and the like. 2.The labour rates must also be INCLUSIVE of all supervision costs, foreman cost and PROFIT on labour as no extra costs in connection herewith will be payable Hourly all-inclusive labour rate for a general handyman, metalworker, etc. Labour (Electrical connection) 5.00 m² Bill total:	Gate size 300x210mm high overall in two equal leaves with 60mm long 45 grade overhang with barbed wire and covered with 50mm galvanised diamond wire mesh as for fencing and with suitable eye-bolt hinges and 300mm long galvanised drop bolts fixed in position complete Bill total: NON-SCHEDULED MATERIALS 1.The following labour rates must be INCLUSIVE all labour costs such as social security costs, pensions, bonuses and the like. 2.The labour rates must also be INCLUSIVE of all supervision costs, foreman cost and PROFIT on labour as no extra costs in connection herewith will be payable Hourly all-inclusive labour rate for a general handyman, metalworker, etc. Labour (Electrical connection) 5.00 m² Bill total:

Sub-Total	N\$	
VAT @ %		
Grand Total	N\$	

Enter 0% VAT rate if VAT exempt.

Priced Activity Schedule Authorised By:

Name:			Signa	ture:
Position:			Date:	
Authorised for and	on behalf of:	Compa	iny	

^{*}Columns A to D to be completed as applicable by the Public Entity, except row 7-9 by Bidder.

SECTION VI: GENERAL CONDITIONS OF CONTRACT AND CONTRACT AGREEMENT

Any resulting contract shall be placed by means of a Purchase Order/Letter of Acceptance and shall be subject to the General Conditions of Contract (GCC) for the Procurement of Goods (Ref. W/RFQ/KRC:MICT-01/2023) available on the website of the Public Entity (www.kunenerc.gov.na) except where modified by the Special Conditions below

SECTION VIII SPECIAL CONDITIONS OF CONTRACT

Procurement Reference Number: W/RFQ/KRC:MICT-01/2023

The clause numbers given in the first column correspond to the relevant clause number of the General Conditions of Contract.

GCC Clause Reference	Special Conditions
Employer GCC 1.1(r)	Kunene Regional Council
Intended Completion Date GCC	To be communicated
Project Manager GCC 1.1(y)	The Project Manager is: Kunene Regional Council
Site GCC 1.1(aa)	The Site is located at- Okanguati.
Start Date GCC 1.1(dd)	To be communicated
The Works GCC 1.1(hh)	The Works consist of: Renovation of Okanguati Rural ICT Centre.
Interpretation GCC 2.2	The project will be completed as specified in the price activity schedule
Language and Law GCC 3.1	The language of the contract is English The law that applies to the Contract is the law of Namibia.
Project Manager's Decisions 4.1	The Project Manager shall obtain specific approval from the Employer before carrying out any of his duties under the Contract which in the Project Manager's opinion will cause the amount finally due under the Contract to exceed the Contract Price or will give entitlement to extension of time. This requirement shall be waived in an emergency affecting safety of personnel or the Works or adjacent property.
Notices	Any notice shall be sent to the following addresses:

GCC Clause Reference	Special Conditions
GCC 6	For the Employer, the address shall be as given on the page 2 of this Bidding Document.
	For the Contractor, the address shall be as given on the first page of the Purchase Order/Letter of Acceptance and the contact name shall be:
Insurance GCC 13.1	Except for the cover mentioned in (d)(i) hereunder, the other insurance covers shall be in the joint names of the Contractor and the Employer and the minimum insurance amounts shall be:
	(a) for the Works, Plant and Materials: None
	(b) for loss or damage to Equipment: None.
	(c) for loss or damage to property (except the Works, Plant, Materials, and Equipment) in connection with Contract for an amount representing the value of the properties that are exposed to the action of the contractor in the execution of the works. It will extend to the property of the Procuring Entity as well). Not Applicable
	(d) for personal injury or death:
	(i) of the Contractor's employees: The Contractor shall take an adequate insurance cover for its employees for any claim arising in the execution of the works.
	(ii) of other people: This cover shall be for an adequate amount for Third Party extended to the Employer and its representatives.
	(e) for loss or damage to materials on-site and for which payment have been included in the Interim Payment Certificate, where applicable.
	The Contractor shall choose to take the insurance covers indicated above as separate covers or a combination of the Contractor's All Risks coupled with the Employer's liability and First Loss Burglary, after approval of the Employer. All insurance covers shall be of nil or the minimum possible deductibles at sole expense of the contractor.
Site Date GCC 14.1	The site Data shall be: N/A
Possession of the	The Site Possession Date shall be: N/A

GCC Clause Reference	Special Conditions
Site GCC 20.1	
Procedure for Disputes GCC 24	No Adjudicator shall be appointed under the contract and arbitration shall not apply. If any dispute arises between the Employer and the Contractor in connection with or arising out of the Contract, the parties shall seek to resolve any such dispute by amicable agreement. If the parties fail to resolve such dispute by amicable agreement, within 14 days after one party has notified the other in writing of the dispute, then the dispute shall be referred to court by either party.
Program GCC 25.1	The Contractor shall submit for approval a Program for the Works within 7 days from the date of the Letter of Acceptance or issue of Purchase Order Agreement. N/A
GCC 25.3	Program updates shall not be required.
Defects Liability Period	The Defects Liability Period is: 365 days. Applicable on for parts replaced
GCC 33.1	[The Defects Liability Period is usually limited to 12 months, but could be less in very simple cases]
Payment Certificates GCC 39.7	Kunene Regional Council shall choose either: A single statement of the estimated value of the work executed shall be submitted on completion of the Works. The Project Manager shall check the statement and certify the amount to be paid to the Contractor".
	Or: "Payment shall be made as per progress of works without * payment for materials on site". N/A
Payments GCC 40	The amount certified by the Project Manager shall be paid in full within 30 days of receipt by the Employer of an invoice, supported by: (a) the payment certificate; and (b) a certificate of Completion of the Works.
Adverse weather Conditions	Not Applicable
GCC 41.1 (l)	
Price Adjustment GCC 44.	The Contract is not subject to price adjustment.
Retention	N/A
GCC 45.	* Delete as appropriate
Liquidated Damages	The liquidated damages for the whole of the Works are N\$100.00 per day.

GCC Clause Reference	Special Conditions
GCC 46.1	The maximum amount of liquidated damages for the whole of the Works is N\$ 1000.00/15 days. N/A
Advance	(i) No advance payment shall be made* or
Payment	
GCC 48.1	* Delete as appropriate
Performance	(i) No Performance Security is required*or
Security	
GCC 49.1	
GCC 56.1	Operating and maintenance manuals should be supplied to the employer
	by the contractor not later than: Provided during hand over
GCC 59.1	N/A

SCHEDULE 2:

QUOTATION CHECKLIST SCHEDULE

Procurement Reference No.:	

Description	Attached	Not Attached
Quotation letter		
Priced Activity Schedules		
Specification and Compliance Sheet		
Company Registration Certificate		
Good Standing Tax Certificate		
Good Standing Social Security Certificate		
Affirmative Action Certificate		
SME Certificate		
Bid Securing declaration		
Letter of undertaking		
Bank account confirmation		
Attach Qualifications of a Brick Layer & Electrician with a Wiring Licence		
Completion certificates or reference letters		

