

REPUBLIC OF NAMIBIA KUNENE REGIONAL COUNCIL DIRECTORATE: EDUCATION, ARTS & CULTURE



Request for Quotations For Works

MINOR RENOVATION FOR HOSTEL AT ELIAS AMXAB COMBINED SCHOOL

Procurement Reference No: w/RFQ/KRC:DoEAC-20/2020

Kunene Regional Council P/Bag 502 Opuwo Namibia

TEL: 065 273950 pmu@kunenerc.gov.na

| pmu@kunenerc.gov.na |
|--------------------------------------|
| Name of bidder: |
| Contact Number of Bidder: |
| Email Address of Bidder: |
| Authorized Representative of Bidder: |
| Signature of Bidder: |
| Bid total amount lot 1: N\$ |
| Bid total amount lot 2: N\$ |



REPUBLIC OF NAMIBIA KUNENE REGIONAL COUNCIL DIRECTORATE: EDUCATION, ARTS & CULTURE

Kunene Regional Council

Letter of Invitation

| | 31 August 202 | .0 |
|--------|--|----|
| To: | | |
| | | |
| | •••••• | |
| | | |
| Proc | urement Reference Number: W/RFQ/KRC:DoEAC-20/2020 | |
| Dear | Sirs, | |
| - | nest for Quotations for Minor renovation for hostel at Elias Amxab bined school - Directorate of Education, Arts and Culture: Kunene Regional acil | |
| Any r | esulting contract shall be subject to the terms and conditions referred to in the document. | |
| • | es, if any, should be addressed to Ms Sendra Nakale 065-273916 or Simeon Kariko 82090 | |
| Please | e prepare and submit your quotation in accordance with the instructions given or inform the | |

Yours faithfully,

EMILIA ALWEENDO

ACTING CHIEF REGIONAL OFFICER

undersigned if you will not be submitting a quotation.

SECTION I: INSTRUCTIONS TO BIDDERS

1. Rights of Public Entity

31 82

The Kunene Regional Council: Directorate of Education, Arts and Culture reserves the right:

- (a) to split the contract as per the lowest evaluated cost per lot; and
- (b) to accept or reject any quotation or to cancel the quotation process and reject all quotations at any time prior to contract award.

2. Preparation of Quotations

You are requested to quote for the works mentioned in Section III, by completing, signing and returning:

- (a) the Quotation Letter in Section II with its annex for Bid Securing Declaration, where applicable;
- (b) the Priced Activity Schedule in Section IV;
- (c) the Specifications and Compliance Sheet in Section V; and
- (d) any other attachment as deemed appropriate

You are advised to carefully read the complete Request for Quotations document, including the Special Conditions of Contract in Section VII, before preparing your Quotation. The standard forms in this document may be retyped for completion but the Bidder is responsible for their accurate reproduction.

3. Validity of Quotations

The quotation validity period shall be 180 days from the date of bid submission deadline.

4. Eligibility Criteria

To be eligible to participate in this Quotation exercise, you should:

- (a) have a valid certified copy (NAMPOL) of company Registration Certificate;
- (b) have a valid certified copy (NAMPOL) of good Standing Tax Certificate;
- (c) have a valid certified copy (NAMPOL) of good Standing Social Security Certificate;
- (d) have a valid certified copy (NAMPOL) of Affirmative Action Compliance Certificate, proof from Employment Equity Commissioner that bidder is not a relevant employer, or exemption issued in terms of Section 42 of the Affirmative Action Act, 1998;
- (e) have a valid certified copy (NAMPOL) of certificate indicating SME Status (for Bids reserved for SMEs);
- (f) Submit signed bid securing declaration
- (g) Attach proof of confirmation of account from a Namibian Banking institution
- (h) Bidders place of principal business must be in Kunene Region. (Attach the confirmation letter from the regional Councillor responsible for your constituency).

(i) Attached TWO (2) Purchase order or completion certificate of completed works with the same complexity.

. .

- (j) Qualification of a Plumber, Brick Layer from reputable education institution accredited by NQA
- (k) Qualification of Electrician from a reputable education institution accredited by NQA with wiring licence.
- (1) Bidders are allowed to bid for all lots, but only be awarded on lot for this bid.

5. Bid Securing Declaration

Bidders are required to subscribe to a Bid Securing Declaration for this procurement process.

6. Works Completion Period

The completion period for works shall be 60 days after acceptance and issue of Purchase Order. Deviation in completion period shall not be accepted.

7. Sealing and Marking of Quotations

Quotations should be sealed in a single envelope, clearly marked with the Procurement Reference Number, addressed to the Public Entity with the Bidder's name at the back of the envelope.

8. Submission of Quotations

Quotations should be deposited in the Quotation/Bid Box located at P/Bag 502 Opuwo Kunene Regional Council, Mbumbijazo Muharukua Street, Opuwo or_forwarded by fax 065-273077, not later than 07 September 2020 at 11h00 AM. Quotations by post or hand delivered should reach Kunene Regional Council Mbumbijazo Muharukua Street, P/Bag 502 Opuwo by the same date and time at latest 11h00. Late quotations will be rejected. Quotations received by e-mail or fax will not be considered.

9. Opening of Quotations

Quotations will be opened internally by the Public Entity immediately after the closing time referred to in section 8 above. A record of the Quotation Opening stating the name of the bidders, the amount quoted, the presence or absence of a Bid Security/Bid Securing Declaration, will be posted on the website of the Public Entity and available to any bidder on request within three working days of the Opening.

10. Evaluation of Quotations

The Public Entity shall have the right to request for clarifications in writing during evaluation. Offers that are substantially responsive shall be compared on the basis of evaluated cost, subject to Margin of Preference where applicable, to determine the lowest evaluated quotation.

11. Technical Compliance

The Specifications and Compliance Sheet details the minimum specifications of the works to be carried out. The specifications have to be met, but no credit will be given for exceeding the specifications.

12. Prices and Currency of Payment

Prices for the execution of works shall be fixed in Namibian Dollars as quoted.

Quotations shall cover all costs of labour, materials, equipment, overheads, profits and all associated costs for performing the works, and shall include all duties. The whole cost of performing the works shall be included in the items stated, and the cost of any incidental works shall be deemed to be included in the prices quoted.

13. Margin of Preference

13.1 The applicable margins of preference and their application methodology are as follows:

N/A

13.2 Bidders applying for the Margin of Preference shall submit, **upon request**, evidence of:

N/A

14. Award of Contract

The Bidder having submitted the lowest evaluated responsive quotation that is 0% above and not less than 15% below the engineer's estimates, with market related rates and qualified to perform the works shall be selected for award of contract. Award of contract shall be by issue of a Purchase Order/Letter of Acceptance in accordance with terms and conditions contained in Section VI: Contract Agreement and General Conditions of Contract.

15. Performance Security

Performance Security in a form of a bank guarantee representing 10% of the final contract price shall be required.

16. Notification of Award and Debriefing

The Public Entity shall after award of contract promptly inform all unsuccessful bidders in writing of the name and address of the successful bidder and the contract amount and post a notice of award on its website within 7 days. Furthermore, the Public Entity shall attend to all requests for debriefing made in writing within seven days of the unsuccessful bidders being informed of the award.

SECTION II: QUOTATION LETTER

(to be completed by Bidders)

[Complete this form with all the requested details and submit it as the first page of your quotation with the Priced Activity Schedule and documents requested above. A signature and authorisation on this form will confirm that the terms and conditions of the RFQ prevail over any attachments. If your quotation is not authorised, it will be rejected

| confirm that the terms authorised, it will be re | | ail over any atto | achments. If your quotation is not |
|--|--|----------------------------------|--|
| Quotation addressed to: | | | |
| Procurement Reference N | Number: | | |
| Subject matter of Procure | ement: | | |
| | the Works detailed in the State stated in your Request for Sealed | | irements, in accordance with the ferenced above. |
| | are eligible to participate in the ection 1: Instructions to Bidders | his Quotation | exercise and meet the eligibility |
| | ide by the Conduct of Bidders and the procurement process and | ~ ~ | rs as provided under the Public of any resulting contract. |
| subscribe fully to the subscription shall be | ne terms and conditions conta construed as a Bid Securing De- ed in the BSD. The validity period | ined therein. claration which | aration (BSD) attached hereto and We further understand that this a could lead to disqualification on ation is days from the |
| | | | are fixed and firm and will not be prior to the expiry date of the |
| Works will commence | e within 7 days from date of issu | e of Purchase (| Order/ Letter of Acceptance. |
| Works will be comple | eted within 60 days from date of | issue of Purcha | ase Order/Letter of acceptance. |
| | | | e applicable to Small and Medium this respect. [Bidder to strike out |
| Quotation Authorise | ed by: | | |
| Name of Bidder | | Company's A | ddress and seal |
| Contact Person | | | |
| Name of Person Author | orising the Quotation: | Position: | Signature: |
| Date | Phone No./E- | mail | |

BID SECURING DECLARATION

(Section 45 of Act)

(Regulation 37(5) and 56(2))

| Date: |
|---|
| Procurement Ref No.: |
| To: |
| [insert complete name of Public entity and address] |
| I/We* understand that in terms of section 45 of the Act a public entity must include in the biddin document the requirement for a declaration as an alternative form of bid security. |
| I/We* accept that under section 45 of the Act, I/we* may be suspended or disqualified in the event of |
| (a) a modification or withdrawal of a bid after the deadline for submission of bids during the period of validity; |
| (b) refusal by a bidder to accept a correction of an error appearing on the face of a bid; |
| (c) failure to sign a procurement contract in accordance with the terms and conditions set fort in the bidding document, should I/We* be successful bidder; or |
| (d) failure to provide security for the performance of the procurement contract if required to do so by the bidding document. |
| I/We* understand this bid securing declaration ceases to be valid if I am/We are* not the successful Bidder |
| Signed: |
| Capacity of: [indicate legal capacity of person(s) signing the Bid Securing Declaration] |
| Name: |
| Duly authorized to sign the bid for and on behalf of: [insert complete name of Bidder] |
| Dated on day of [insert date of signing] |
| Corporate Seal (where appropriate) [Note*: In case of a joint venture, the bid securing declaration must be in the name of all partners to the joint venture that submits the bid.] |

*delete if not applicable / appropriate



Ministry of Labour, Industrial Relations and Employment Creation

Written undertaking in terms of section 138 of the Labour Act, 2015 and section 50(2) (D) of the Public Procurement Act, 2015

1. EMPLOYERS DETAILS

| Company Trade Name: |
|--|
| Registration Number: |
| Vat Number: |
| Industry/Sector: |
| Place of Business: |
| Physical Address: |
| Tell No.: |
| Fax No.: |
| Email Address: |
| Postal Address: |
| Full name of Owner/Accounting Officer: |
| |
| E |

2. PROCUREMENT DETAILS Procurement Reference No: Procurement Description: _____ Anticipated Contract Duration: Location where work will be done, good/services will be delivered: UNDERTAKING 3. hereby undertake in writing that my company will at all relevant times comply fully with the relevant provisions of the Labour Act and the Terms and Conditions of Collective Agreements as applicable. I am fully aware that failure to abide to such shall lead to the action as stipulated in section 138 of the labour Act, 2007, which include but not limited to the cancellation of the contract/licence/grant/permit or concession. Signature:

Please take note:

Date:

Seal:

- 1. A labour inspector may conduct unannounced inspections to assess the level of compliance
- 2. This undertaking must be displayed at the workplace where it will be readily accessible and visible by the employees rendering service(s) in relations to the goods and services being procured under this contract.

SECTION III: STATEMENT OF REQUIREMENTS

A. SCOPE OF WORKS, SPECIFICATIONS AND PERFORMANCE REQUIREMENTS

Construction of Ablution Block in accordance with the specification provided under Section ${\bf IV}$

B. DRAWINGS

Works shall be performed in accordance with the bills of quantities

SECTION IV: PRICED ACTIVITY SCHEDULE

LOT: 1

Procurement Reference Number:

| Item No | Brief Description of Works | Quantit y | Unit of Measur e | Unit Price (N\$) | Total Price (N\$) |
|------------|--|--------------|------------------------|------------------------|-------------------|
| A* | B* | C* | D* | E | F |
| | Minor renovation in Elias Amaxab Comb | ined sch | ool and h | ostel | |
| 1. | BILL NO 1 (VOLUME 3) DEMOLITIONS AND ALTERATIOBS | | | | |
| 2. | Taking down and removing of polyethylene water | | | | |
| 3. | Polyethylene water tank exceeding 5000 litres and not exceeding 10000 litres from tank stand exceeding 6m high not exceeding 9m high | 1.00 | No | | |
| 4. | 1. The Contractor must provide all necessary scaffolding for any and all work required to single storey buildings and to the insides of building irrespective of the height of the building as no additional payment will be made in this regard. 2. Scaffolding will only be measured and paid for work to the external face of the building where the building or structure is higher than one storey and to the actual height of the scaffolding erected. 3. Contractor must ensure the stability of the scaffolding at all times and must provide adequate safety rails barriers and walkways for the workmen using the scaffolding. No materials may be stored on scaffolding. 4. The height of the scaffolding stated includes the ground floor level. | | | | |
| 5. | Scaffolding to the external face of three storey buildings | 16.00 | Metres | | |
| 6. | Sealing of existing roofs and flashings BILL NO 4 REPAIRS TO PLUMBING AND DRAINAG sundries | E INSTA | LLATIO | NS | |
| 7. | Replace damaged or broken ball valve to water tank with new 50mm ball valve | 1.00 | No | | |
| 8. | Cleaning of the sewage pipes by rodding exceeding 160mm diameter with access fr | | | | |

| 9. | Clean blocked pipes exceeding 40m and | 417.00 | Metres | | | | | | |
|---|---|--|---|--------------------------|-------------------|--|--|--|--|
| | not exceeding 50m long | | | | | | | | |
| 10. | WALL TILING | | | | | | | | |
| | BILL NO. 22 | | | | | | | | |
| | PLUMBING AND DRAINAGE | | | | | | | | |
| | Gate valves, strainers, etc | | | | | | | | |
| 11. | 65mm Brass full way gate valve | 2.00 | No | | | | | | |
| 10 | | | | | | | | | |
| 12. | Brass taps | | | | | | | | |
| 13. | 20mm Stop tap | 1.00 | No | | | | | | |
| | | | | | | | | | |
| 14. | 25mm Stop tap | 5.00 | No | | | | | | |
| | | | | | +> | | | | |
| 15. | Chrome plated brass taps and sundries | | | | | | | | |
| 16. | 15mm Angle regulating valve with 10mm | 3.00 | No | | | | | | |
| 10. | chromium plated copper service pipe 300mm | | | | | | | | |
| | girth bent as required | | | | | | | | |
| 17. | 15mm wall type sink mixer with overarm | 1.00 | No | | | | | | |
| | swivel outlet | | | | | | | | |
| 18. | The solar water geysers and panels must be | e installe | d by the | specialis | t supplier of the | | | | |
| | | | | | | | | | |
| | geysers and panels | | | | | | | | |
| 19. | Class 12 HDPE type IV water pipes includi | | | | | | | | |
| | Class 12 HDPE type IV water pipes includi ground in trenches not less than 600mm deep | including | g excavati | | | | | | |
| 19. | Class 12 HDPE type IV water pipes includi | | | | | | | | |
| | Class 12 HDPE type IV water pipes includi ground in trenches not less than 600mm deep | including | g excavation Metres | ons, back | filling, etc. | | | | |
| 20. | Class 12 HDPE type IV water pipes including ground in trenches not less than 600mm deep 25mm pipes laid in ground in trenches Galvanised mild medium grade pipes including | including 141.00 ng all stra | g excavation Metres light joints | ons, back | filling, etc. | | | | |
| 20. | Class 12 HDPE type IV water pipes includi ground in trenches not less than 600mm deep 25mm pipes laid in ground in trenches | including | g excavation Metres | ons, back | filling, etc. | | | | |
| 20. 21. 22. | Class 12 HDPE type IV water pipes including ground in trenches not less than 600mm deep 25mm pipes laid in ground in trenches Galvanised mild medium grade pipes including 25mm pipe fixed or chased into walls | 141.00 ng all stra | Metres Metres Metres | ons, back | filling, etc. | | | | |
| 20. | Class 12 HDPE type IV water pipes including ground in trenches not less than 600mm deep 25mm pipes laid in ground in trenches Galvanised mild medium grade pipes including | including 141.00 ng all stra | g excavation Metres light joints | ons, back | filling, etc. | | | | |
| 20. 21. 22. | Class 12 HDPE type IV water pipes including ground in trenches not less than 600mm deep 25mm pipes laid in ground in trenches Galvanised mild medium grade pipes including 25mm pipe fixed or chased into walls | 141.00 ng all stra | Metres Metres Metres | ons, back | filling, etc. | | | | |
| 20.21.22.23.24. | Class 12 HDPE type IV water pipes including ground in trenches not less than 600mm deep 25mm pipes laid in ground in trenches Galvanised mild medium grade pipes including 25mm pipe fixed or chased into walls 65mm pipe fixed or chased into walls Extra over uPVC pipes for fittings | 141.00 ng all stra 6.00 26.00 | Metres Metres Metres Metres Metres | ons, back | filling, etc. | | | | |
| 20.21.22.23. | Class 12 HDPE type IV water pipes including ground in trenches not less than 600mm deep 25mm pipes laid in ground in trenches Galvanised mild medium grade pipes including 25mm pipe fixed or chased into walls 65mm pipe fixed or chased into walls | 141.00 ng all stra | Metres Metres Metres | ons, back | filling, etc. | | | | |
| 20.21.22.23.24. | Class 12 HDPE type IV water pipes including ground in trenches not less than 600mm deep 25mm pipes laid in ground in trenches Galvanised mild medium grade pipes including 25mm pipe fixed or chased into walls 65mm pipe fixed or chased into walls Extra over uPVC pipes for fittings | 141.00 ng all stra 6.00 26.00 | Metres Metres Metres Metres Metres | s and con | filling, etc. | | | | |
| 20.21.22.23.24. | Class 12 HDPE type IV water pipes including ground in trenches not less than 600mm deep 25mm pipes laid in ground in trenches Galvanised mild medium grade pipes including 25mm pipe fixed or chased into walls 65mm pipe fixed or chased into walls Extra over uPVC pipes for fittings | 141.00 ng all stra 6.00 26.00 | Metres Metres Metres Metres Metres Metres | s and con | filling, etc. | | | | |
| 20.21.22.23.24. | Class 12 HDPE type IV water pipes including ground in trenches not less than 600mm deep 25mm pipes laid in ground in trenches Galvanised mild medium grade pipes including 25mm pipe fixed or chased into walls 65mm pipe fixed or chased into walls Extra over uPVC pipes for fittings 110mm pan connector | 141.00 ng all stra 6.00 26.00 | Metres Metres Metres Metres Metres | s and con | filling, etc. | | | | |
| 20.21.22.23.24. | Class 12 HDPE type IV water pipes including ground in trenches not less than 600mm deep 25mm pipes laid in ground in trenches Galvanised mild medium grade pipes including 25mm pipe fixed or chased into walls 65mm pipe fixed or chased into walls Extra over uPVC pipes for fittings 110mm pan connector | 141.00 ng all stra 6.00 26.00 | Metres Metres Metres Metres Metres Metres Prelimina % | s and con | filling, etc. | | | | |
| 20.21.22.23.24. | Class 12 HDPE type IV water pipes including ground in trenches not less than 600mm deep 25mm pipes laid in ground in trenches Galvanised mild medium grade pipes including 25mm pipe fixed or chased into walls 65mm pipe fixed or chased into walls Extra over uPVC pipes for fittings 110mm pan connector | 141.00 ng all stra 6.00 26.00 | Metres Metres Metres Metres Metres Metres Prelimi | s and con laries | filling, etc. | | | | |
| 20.21.22.23.24. | Class 12 HDPE type IV water pipes including ground in trenches not less than 600mm deep 25mm pipes laid in ground in trenches Galvanised mild medium grade pipes including 25mm pipe fixed or chased into walls 65mm pipe fixed or chased into walls Extra over uPVC pipes for fittings 110mm pan connector | 141.00 ng all stra 6.00 26.00 | Metres Metres Metres Metres Metres Metres Metres Conting 15% | s and con laries gencies | filling, etc. | | | | |
| 20.21.22.23.24. | Class 12 HDPE type IV water pipes including ground in trenches not less than 600mm deep 25mm pipes laid in ground in trenches Galvanised mild medium grade pipes including 25mm pipe fixed or chased into walls 65mm pipe fixed or chased into walls Extra over uPVC pipes for fittings 110mm pan connector | 141.00 ng all stra 6.00 26.00 | Metres Metres Metres Metres Metres Metres Metres Conting | s and con laries gencies | filling, etc. | | | | |

*** ***

| Name: | Signature: | |
|----------------------------------|------------|--|
| Position: | Date: | |
| Authorised for and on behalf of: | Company | |

LOT: 2

| Item No | Brief Description of Works | Quantity | Unit of Measure | Unit Price (N\$) | Total Price (N\$) |
|------------|--|----------|--------------------|------------------------|-------------------------|
| A* | B* | C* | D* | E | F |
| | Demolition and alterations | | | | |
| 1. | Taking out and removing sanitary fittings and appliances, including taps and traps, including disconnecting piping from fittings and cutting back and sealing of all water and waste pipes as necessary. | | | | |
| 2. | Steel or acrylic bath of all sizes | 1 | No | | |
| 3. | Repairs to steel and timber windows Sealing of existing roofs and flashings | | | | |
| 4. | Replace missing or damaged peg stay to steel or timber window with new solid brass or chromium plated peg stay 228mm long | 3 | No | | |
| 5. | Repairs to plumbing and drainage installation Repairs to w.c. suites and flushing valves | ons | | | |
| 6. | Replace missing or damaged beta valve flush unit complete with ball valve and plastic float to w.c. cistern | 4 | No | | |
| 7. | Replace missing or damaged w.c. seat with new heavy duty double seat and flap | 6 | No | | |
| 8. | Cleaning of d=sewage pipes by rodding o exceeding 160mm diameter with access fr | ~ | - | | ot |
| 9. | Clean blocked pipes exceeding 20m and not exceeding 30m long | 250 | m | | |

| 10. | Clean out blockage in manholes, catch pits etc | | | | | | | | | |
|-----|---|----------|----------------|------------|---------|--|--|--|--|--|
| 11. | Clean out blocked manholes or catch pit not exceeding 1m deep | 6 | No | | | | | | | |
| 12. | Cutting through existing walls and finishes etc an making good | | | | | | | | | |
| 13. | Cut through existing concrete surface bed or apron not exceeding 100mm thick for laying of new pipe not exceeding 160mm diameter and make good concrete (new pipe elsewhere measured) | 45 | m | | | | | | | |
| 14. | Brick test Brickwork of 7 Mpa cement bricks in cla | ıss 11 m | ortar | | | | | | | |
| 15. | Half brick call | 9 | M ² | | | | | | | |
| 16. | Roof construction 40mm Thick hollow cored flush doors with concealed hardwood edge strips | hardboa | ard covering o | n both sid | les and | | | | | |
| 17. | Door size 813x2032mm high | 4 | No | | | | | | | |
| 18. | Floor coverings Ironmongery Mortice locks | | | | | | | | | |
| 19. | Four lever upright mortice deadlock with stainless steel forend | 4 | No | | | | | | | |
| 20. | Plastering Screeds wood floated or steel trowelled or | n concr | ete | | | | | | | |
| 21. | 25mm Thick on floors and landings | 17 | M^2 | | | | | | | |
| 22. | One coat compo plaster steel trowelled sn | nooth o | n brickwork | to | | | | | | |
| 23. | Walls | 16 | M ² | | | | | | | |
| 24. | PLDMBIWG AWD DRAINAGE White virreous china of glazed fireclav | | | | | | | | | |
| 25. | Basin size 510x405mm with two tap holes bolted to walls | 3 | No | | | | | | | |
| 26. | Low level w.c. suite comprising wash down pan, matching 9 litre low level cister with lid and fitments, flush pipe and heavy duty double flap and seat fixed to wall and floor | 1 | No | | | | | | | |
| 27, | Chromium plated brass | | | | | | | | | |

in seg

| 28. | 32mm Basin waste union with vulcanite plug and chromium plated chain and stay. | 2 | No | | |
|-----|--|-----------|-----------------|-------------|-------------|
| 29. | Vulcathene | | 1 | <u> </u> | |
| 30. | 38mm Basin waste unior with vulcanite plug and chromium plated chain and stay | 2 | No | | |
| 31. | Upvc | | , 3, | - | |
| 32. | Spazio No 2 plumbing kit complete with waste fittings | 4. | No | | |
| 33. | Chromium plated brass | | | | |
| 34. | 32mm Bottle trap including tailpipe and wall flange | 4. | No | | |
| 35. | 40mm Shower trap with chromium plated grating | 8 | No | | |
| 36. | Brass taps | 7() | | | |
| 37. | 15mm Push button bib tap | 12 | No | | ===== |
| 38. | Chrome olated brasa tans and sundries | | /4.5 | | |
| 39 | 15mm Angle regulating valve with 10mm chromium plated copper service pipe 300mm girth bent as required | 17 | No | | |
| 40. | 20mm Toilet bib tap | 10 | No | | |
| 41. | 15mm Uuderwall pattern sto tap with cover plate | 9 | No | | |
| 42. | 15mm Shower rose 85mm diameter | 4 | No | | |
| 43. | 15mm Shower arm with cover plate | 4 | No | | |
| 44. | The solar water geysers and panels must be Geysers and panels | installed | d by the specia | list supp | lier of the |
| 45. | Class 12 HDPE type IV water pipes including Straight joints and connectors laid in ground deep, including excavations, backfilling etc | | ches trenches | not less tl | nan 600mm |
| 46. | 25mm Pipes laid in ground in trenches | 75 | M | | |
| 47. | 32mm Pipes laid in ground in trenches | 45 | M | | |
| 48. | uPVC soil waste and vent pipes including a straight joints and connectors | İ1 | , A | , | |
| 49. | 50mm Pipe fixed or chased into walls | 30 | M | | |
| 50. | 110mm Pipes laid in ground under solid floors | 50 | М | | |

| 51. | Extra over | Upvc pipes for fittings | | | | | | | |
|-------|--|-------------------------------------|-----------|----------|------------------|------|--|--|--|
| 52. | ll0mm Air ve | ent cowl | 3 | N | lo | | | | |
| 53. | Extra for the underground | ollowing fittings to vin-wall pipes | | | | | | | |
| 54. | | low gulley head | 1 | N | lo | | | | |
| 55. | UPVC Gulley | ys with gulley head and gra | iting enc | ased in | concretete | | | | |
| 56. | ll0mm Gulley deep | y P-trap not exceeding lm | 1 | N | 10 | | | | |
| | | | | | | | | | |
| | | | | Su | btotal | | | | |
| | | | | Pr | eliminaries | % | | | |
| | | | | Co 15 | ontingencie % | s at | | | |
| | Enter 0% VA | T rate if VAT exempt. | | VA | AT @ 15 % | ⁄o | | | |
| | | | | To | tal | | | | |
| | | | | | | | | | |
| Nam | e: | | | Signa | ature: | | | | |
| Posit | ion: | | | Date | • | | | | |
| Auth | Authorised for and on behalf of: Company | | | | | | | | |

SECTION V: SPECIFICATIONS AND COMPLIANCE SHEET Procurement Reference Number: SECTION VI: GENERAL CONDITIONS OF CONTRACT AND CONTRACT AGREEMENT

Any resulting contract shall be placed by means of a Purchase Order/Letter of Acceptance and shall be subject to the General Conditions of Contract (GCC) for the Procurement of Goods (Ref. G/RFQ-WCC) (available at public entities physical address/website: Insert Public Entity address/website) except where modified by the Special Conditions below.

SECTION VII: CONTRACT AGREEMENT

Any resulting contract shall be placed by means of a Purchase Order/Letter of Acceptance and shall be subject to the General Conditions of Contract (GCC) for the Procurement of Works except where modified by the Special Conditions below.

SECTION VIII SPECIAL CONDITIONS OF CONTRACT

| Dua annam ant Dafanan | aa Numbau | |
|-----------------------|------------|--|
| Procurement Keteren | ce Number: | |

The clause numbers given in the first column correspond to the relevant clause number of the General Conditions of Contract. [This section is to be customised by the Public Entity to suit the requirements of the specific procurement].

| GCC Clause Reference | Special Conditions | | |
|---------------------------------------|---|--|--|
| Project Manager GCC 1.1(y) | The Project Manager is: Kunene Regional Council: Directorate of Education, Arts and Culture | | |
| Site GCC 1.1(aa) | Elias Amaxab Combined school | | |
| Start Date GCC 1.1(dd) | The Start Date shall be: 7 days after issuing of Purchase Order. | | |
| The Works GCC 1.1(h) | The Works consist of: Minor renovation in Elias Amaxab Combined school and hostel | | |
| Language and Law GCC 3.1 | The language of the contract is English The law that applies to the Contract is the law of Namibia. | | |
| Project Manager's Decisions 4.1 | The Project Manager shall obtain specific approval from the Employer before carrying out any of his duties under the Contract which in the Project Manager's opinion will cause the amount finally due under the Contract to exceed the Contract Price or will give entitlement to extension of time. This requirement shall be waived in an emergency affecting safety of personnel or the Works or adjacent property. | | |
| Notices | Any notice shall be sent to the following addresses: | | |
| GCC 6 | For the Employer, the address shall be as given on the page 2 of this Bidding Document and the contact name shall be: | | |
| | Kunene Regional Council | | |
| | Procurement Management Unit | | |
| | Mbumbijazo Muharukua Street | | |
| | P/Bag 502, Opuwo 065-273 950 | | |
| | Email: pmu.kunenerc@gmail.com | | |

| GCC Clause Reference | Special Conditions | | | |
|-------------------------|---|--|--|--|
| | For the Contractor, the address shall be as given on the first page of the Purchase Order/Letter of Acceptance and the contact name shall be | | | |
| Insurance GCC 13.1 | Except for the cover mentioned in (d)(i) hereunder, the other insurance covers shall be in the joint names of the Contractor and the Employer and the minimum insurance amounts shall be: | | | |
| | (a) for the Works, Plant and Materials: (for the full amount of the works including removal of debris, professional fee etc) | | | |
| | (b) for loss or damage to Equipment: (for the replacement value of the equipment that the contractor intends to use on site until the taking over by the Employer. | | | |
| | (c) for loss or damage to property (except the Works, Plant, Materials, and Equipment) in connection with Contract for an amount representing the value of the properties that are exposed to the action of the contractor in the execution of the works. It will extend to the property of the Procuring Entity as well). | | | |
| | (d) for personal injury or death: | | | |
| | (i) of the Contractor's employees:[The Contractor shall take an adequate insurance cover for its employees for any claim arising in the execution of the works]. | | | |
| | (ii) of other people: [This cover shall be for an adequate amount for Third Party extended to the Employer and its representatives]. | | | |
| | (e) for loss or damage to materials on-site and for which payment have been included in the Interim Payment Certificate, where applicable. | | | |
| | The Contractor shall choose to take the insurance covers indicated above as separate covers or a combination of the Contractor's All Risks coupled with the Employer's liability and First Loss Burglary, after approval of the Employer. All insurance covers shall be of nil or the minimum possible deductibles at sole expense of the contractor. | | | |

| GCC Clause Reference | Special Conditions | | | |
|---|---|--|--|--|
| Intended Completion Date GCC 16.1 | The Intended Completion Date for the whole of the Works shall be: 60 days from date of site handover. | | | |
| Possession of the Site GCC 20.1 | The Site Possession Date shall be: 7 days after issuing of Purchase Order | | | |
| Procedure for Disputes GCC 24 | No Adjudicator shall be appointed under the contract and arbitration shall not apply. If any dispute arises between the Employer and the Contractor in connection with or arising out of the Contract, the parties shall seek to resolve any such dispute by amicable agreement. If the parties fail to resolve such dispute by amicable agreement, within 14 days after one party has notified the other in writing of the dispute, then the dispute shall be referred to court by either party. | | | |
| Program GCC 25.1 | The Contractor shall submit for approval a Program for the Works within 7 working days from the date of the Letter of Acceptance or issue of Purchase Order Agreement. | | | |
| GCC 25.3 | Program updates shall be required. | | | |
| Defects Liability Period GCC 33.1 | The Defects Liability Period is: 365 days after final inspection and handover. | | | |
| Payment Certificates GCC 39.7 | "Multiple statement of the estimated value of the work executed shall be submitted on completion of the Works. The Project Manager shall check the statement and certify the amount to be paid to the Contractor". | | | |
| Payments GCC 40 | The amount certified by the Project Manager shall be paid in full within 30 days of receipt by the Employer of an invoice, supported by: (a) the payment certificate; and (b) a certificate of Completion of the Works. | | | |
| Adverse weather Conditions GCC 41.1 (l) | Weather condition under which normal project work cannot be executed. | | | |
| Price Adjustment GCC 44. | The Contract is not subject to price adjustment. | | | |
| Retention GCC 45. | 10% of the amount shall be retained from any payment. Half of the retention money will be released after formal taking over of the Works and the remaining shall be released after the Defect | | | |

, a (*)

| GCC Clause Reference | Special Conditions | | | |
|-------------------------------------|---|--|--|--|
| | Liability Period subject to the Contractor making good all defects. | | | |
| Liquidated Damages GCC 46.1 | The liquidated damages for the whole of the Works are 4% per week. The maximum amount of liquidated damages for the whole of the Works is amount based on a maximum number of weeks 10% maximum of contract price. | | | |
| Advance Payment GCC 48.1 | No advance payment shall be made | | | |
| Performance Security GCC 49.1 | Performance Security in a form of a bank guarantee representing 10% of the final contract price shall be required. | | | |
| GCC 56.1 | Operating and maintenance manuals should be supplied to the employer by the contractor not later than: Provided during hand over. | | | |
| GCC 59.1 | The percentage to apply to the value of the work not completed, representing the Employer's additional cost for completing the Works, is: 10% of the contracted amount | | | |

...

SCHEDULE 3: QUOTATION CHECKLIST SCHEDULE

Procurement Reference No.:

| Description | Attached | Not Attached |
|---|----------|-----------------|
| Quotation letter | | |
| Priced Activity Schedules | | |
| Specification and Compliance Sheet | | |
| Bid Declaration Security | | |
| Valid certified Company registration Certificate | | |
| Reference letter from Kunene Regional Constituency Councillor | | |
| Valid certified Affirmative Action Compliance Certificate | | |
| Valid certified Good Standing Certificate from Social Security | | |
| Valid certified Good Standing Certificate from Ministry of Finance | | |
| Valid certified SME Certificate | | |
| Confirmation of Bank Account Letter from a Commercial Bank | | |
| TWO (2) Purchase order or completion certificate of completed | | |
| works with the same complexity. | | |
| Qualification of a Plumber, Brick Layer from reputable | | |
| education institution accredited by NQA | | |
| Qualification of Electrician from a reputable education | | |
| institution accredited by NQA with wiring licence. | | |

Disclaimer: The list defined above is meant to assist the Bidder in submitting the relevant documents and shall not be a ground for the bidder to justify its non-submission of major documents for its quotation to be responsive. The onus remains on the Bidder to ascertain that it has submitted all the documents that have been requested and are needed for its submission to be complete and responsive.

