



KUNENE REGIONAL COUNCIL



Tel: +264-65-273950

Fax: +264-65-273077

Eng : S. Nakale

M. Muharukua Street
OPUWO, NAMIBIA

Ref: 8/3/4/2

Private Bag 502
OPUWO, NAMIBIA

08 September 2022

PROCUREMENT MANAGEMENT UNIT

NOTICE TO BIDDERS

SUBJECT: MODIFICATION OF BIDDING DOCUMENT: PUMPING OUT OF SEPTIC TANKS AND REMOVAL OF HOUSEHOLD REFUSE AT VARIOUS GOVERNMENT INSTITUTIONS WITHIN KUNENE REGION FOR THE PERIOD THREE (3) YEARS (NCS/ONB/KRC: MWTC-01/2022).

1. All prospective bidders are hereby notified of the modifications outlined below for the bidding document of bid reference number: **NCS/ONB/KRC: MWTC-01/2022**. The modifications are done in accordance with Section 34 of the Regulations of the Public Procurement Act of 2015 (Act No. 15 of 2015).
2. Modification referred to changes in the bidding document as follows:
 - 2.1. ITB 5.4, page 23 - 24 (h): **“Preference (5% Price Preference) shall be given to Bidders based and operating from the Kunene Region where the Works are required. Therefore, attach a confirmation letter from the Councillor’s Office (not older than two months)”**.
 - 2.2. ITB 5.4, page 24(i) **“The bidder must be in possession of a suitable pump and a vehicle with a carrying capacity of at least 1 ton. Tank mounted on a chassis and wheels (trailer to carry 1 metric ton or above). If this is a trailer, a suitable Truck or (tractor) must be available to tow the trailer.**
 - 2.3. ITB: 5.5(c) : page 24, **“Bidders that are selected for award will be expected to bring the following equipment at the offices, failure to do so will result to disqualification and the bid will be awarded to the next successful bidder.**
 - Sewer pump
 - 1 ton vehicle or a tractor with a trailer
 - 1m³ tank (minimum)

NOTE: Equipment used for the removal of refuse shall be enclosed so as to preclude the risk of fly off litter. Equipment used for the transportation of refuse and pumping of septic tanks shall be inspected before approval is granted by the Regional Health Inspector(s) and Kunene Regional Council delegate.

- 2.4. SECTION III: EVALUATION CRITERIA, Page 28, **“NB: the bidder must be in possession of a 1 ton vehicle (higher carrying capacity or a**